



Truck-Link Resource

WhatsApp: +86 19121940139



COMPANY PROFILE

全球卡车产业链不断升级的背景下，中国卡车零部件制造能力正被世界重新认识。越来越多海外采购商希望直接找到稳定、专业、可信赖的中国工厂，而越来越多中国企业也在寻找真实、高质量的海外订单机会。

卡联资源正是在这样的背景下诞生，致力于打造一个专注于卡车零部件制造企业的垂直外贸资源平台。平台服务对象为中国卡车零配件制造工厂，服务模式以信息服务、资源对接和企业展示为核心。通过整合全球采购商资源、真实采购需求以及国际展会行业资源，帮助中国工厂提升海外曝光，获取真实询盘并提高成交效率。

不同于传统B2B平台，卡联不参与线上交易、不涉及资金结算、不赚差价，只专注于连接中国优质工厂与全球真实采购商，让中国制造更高效地走向世界。

As the global trucking industry continues to evolve and upgrade, China's capabilities in truck parts manufacturing are gaining renewed attention across international markets. Moreover, overseas buyers are seeking direct access to reliable, professional, and trustworthy Chinese manufacturers, while an increasing number of Chinese factories are looking for genuine, high-quality opportunities to expand into global markets.

Truck-Link Resources was established in response to this growing demand. The platform is dedicated to serving Chinese truck parts manufacturers by creating a specialized international resource network focused on the truck parts sector. Through information services, business matchmaking, and brand presentation, the platform integrates global buyer resources, verified purchasing demands, and key industry exhibition channels, helping manufacturers enhance their global visibility, receive qualified inquiries, and improve overall conversion opportunities.

Unlike traditional B2B marketplaces, Truck-Link Resources does not facilitate online transactions, handle payments, or participate in trade margins. Instead, the platform focuses purely on connecting reputable Chinese manufacturers with genuine international buyers, creating a more direct and efficient pathway for Chinese truck parts suppliers to reach the global market.



PRODUCT INDEX

CLUTCH MASTER CYLINDER	01
CLUTCH SERVO	29
SPRING BRAKE CHAMBER	39
FOOT BRAKE VALVE	46
AIR DRYER	48
RELAY VALVE	50
ABS MODULATOR VALVE	54
4 CIRCUIT PROTECTION VALVE	55
UNLOADER VALVE	57
PRESSURE LIMITING VALVE	58
HAND BRAKE VALVE	59
TRAILER CONTROL VALVE	64
LEVELING VALVE	65
LOAD SENSING VALVE	67
GEARBOX VALVE	68
QUICK RELEASE VALVE	71
GLAND HEAD/AIR HOSE	73
QUICK COUPLING	74
FITTING	75
SLACK ADJUSTER	76



CLUTCH MASTER CYLINDER

REF No.: KG2604.1.1/001 295 3006/
001 295 0806/040 323 800/110 099 29
Bore: $\Phi 26.99(S5373)$
APPLICATION: BENZ(1635LS),NEOPLAN



CLUTCH MASTER CYLINDER

REF No.: KG2602.1.1/001 295 0806/
6K-1500054
Bore: $\Phi 26.99(S5373)$
APPLICATION: BENZ(1638LS) TOYOTA



CLUTCH MASTER CYLINDER

REF No.: KG2395.1.7/001 295 2906 /
001 295 6006/000 295 6806/ KG2395.1.4/
000 295 9406
Bore: $\Phi 23.81(S5185)$
APPLICATION: BENZ(1013AK)



CLUTCH MASTER CYLINDER

REF No.: KG2395.1.3
Bore: $\Phi 23.81(S5185)$
APPLICATION: BENZ(1013AK)



CLUTCH MASTER CYLINDER

REF No.: KG2007.1.1/001 295 7106/
040 310 200/1101 0067
Bore: $\Phi 20.64(S5185)$
APPLICATION: BENZ(3250AF),NEOPLAN



CLUTCH MASTER CYLINDER

REF No.: KG23028.0.1/001 295 7806/
A001 295 7806
Bore: $\Phi 23.81(S5185)$
APPLICATION: BENZ(40),KASSBOHRER



CLUTCH MASTER CYLINDER

REF No.: MKG190110.4.2/002 295 0706
Bore: $\Phi 19.05$
APPLICATION: BENZ(1832LS)



CLUTCH MASTER CYLINDER

REF No.: MKG20003.4.2/002 295 1006
Bore: $\Phi 20.64$
APPLICATION: BENZ(1016L)



CLUTCH MASTER CYLINDER

REF No.: KG20001.0.10/001 295 9306/
001 295 9506/8.383.345.000
Bore: $\Phi 20.64$
APPLICATION: BENZ(2523L),KASSBOHRER



CLUTCH MASTER CYLINDER

REF No.: KG26703.1.1/8282 211 000/
8282 211 0000
Bore: $\Phi 26.99(S5054)$
APPLICATION: BENZ(KASSBOHRER)



CLUTCH MASTER CYLINDER

REF No.: KG19046.1.2/000 295 5006/
000 295 6006/000 295 6606/000 295 7706/
001 295 1506/001 295 8706/308 295 7006
Bore: $\Phi 19.05(S5091)$
APPLICATION: BENZ(LPL1013)



CLUTCH MASTER CYLINDER

REF No.: 664 295 7006/350 295 7006/
RCCE 0037.8/RCCE 0010.6
Bore: $\Phi 20.64$
APPLICATION: BENZ



CLUTCH MASTER CYLINDER

REF No.: 345 295 7006/RCCE 0023.8
Bore: $\Phi 23.81$
APPLICATION: BENZ



CLUTCH MASTER CYLINDER

REF No.: KG2008.0.1/001 295 7206/
001 295 7306/388 295 7006/RCCE 0036.1
Bore: $\Phi 20.64(S5372)$
APPLICATION: BENZ(1222LS)



CLUTCH MASTER CYLINDER

REF No.: 693 295 7006/RCCE 0071.0
Bore: $\Phi 20.64$
APPLICATION: BENZ



CLUTCH MASTER CYLINDER

REF No.: KG22019.1.1/001 295 7406
Bore: $\Phi 22.22(S5372)$
APPLICATION: BENZ(1222AF)



CLUTCH MASTER CYLINDER

REF No.: KG22019.1.4/673 295 0006
Bore: $\Phi 22.22(S5372)$
APPLICATION: BENZ(1117K)



CLUTCH MASTER CYLINDER

REF No.: KG 23031.0.1/001 295 5306
001 295 9706/001 295 2506/384 295 7006/
388 295 7206/680 295 0006/RCCE 0033.5
Bore: $\Phi 23.81(S5618)$
APPLICATION: BENZ(1114AK)



CLUTCH MASTER CYLINDER

REF No.: KG23031.0.2/001 295 7006/
693 295 7006/RCCE 0071.0
Bore: $\Phi 23.81(S5618)$
APPLICATION: BENZ(1417AK)



CLUTCH SLAVE CYLINDER

REF No.: KN38051/002 295 0407/999 866
001 295 0307/001 295 8807/001 295 5307/
8.383.221.000/8.383.290.000/
Bore: $\Phi 38.1(S6197)$
APPLICATION: BENZ(1019AF),KASSBOHRER,DEAG



CLUTCH SLAVE CYLINDER

REF No.: KN380581/000 295 7207
Bore: $\Phi 38.1(S6197)$
APPLICATION: BENZ(1217KO)



CLUTCH SLAVE CYLINDER

REF No.: KN2895A1/308 295 7007/
000 295 8307/C-2610.7
Bore: $\Phi 28.57(S6205) 2-\phi 9 \times 78$
APPLICATION: BENZ(LPL809)



CLUTCH SLAVE CYLINDER

REF No.: KN28027A1/001 295 4007/
001 295 5807/001 295 7407/
002 295 0707/673 295 0007
Bore: $\Phi 28.57(S6469) 2-\phi 11 \times 80$
APPLICATION: BENZ(1114AK)



CLUTCH MASTER CYLINDER

REF No.: KG190054.0.1/000 290 3212
Bore: $\Phi 19.05$
APPLICATION: BENZ(901.902CDI)



CLUTCH MASTER CYLINDER

REF No.: KG3401.0.2/000 295 5606/
000 295 6706/001 295 5506/A001 295 5506
BORE: $\Phi 34.92$ (S5307)
APPLICATION: BENZ(303.305ST)KASSBOHRER



CLUTCH MASTER CYLINDER

REF No.: KG190084.0.2/002 295 0406/
002 295 0306
BORE: $\Phi 19.05$
APPLICATION: BENZ(1831AK)



CLUTCH MASTER CYLINDER

REF No.: KG190072.0.1/001 295 5206/
388 295 7106/667 290 0212/001 295 9606/
001 295 2406
BORE: $\Phi 19.05$ (S5421)
APPLICATION: BENZ (1114AK)



CLUTCH MASTER CYLINDER

REF No.: KG190042.0.1/001 295 7306
BORE: $\Phi 19.05$ (S5421)
APPLICATION: BENZ(1224AF)



BRAKE MASTER CYLINDER

REF No.: H38721.0.4/001 430 7901/
002 430 2101/002 430 8401
BORE: $\Phi 38.1$ (S 406)
APPLICATION: BENZ(LP911B)



BRAKE MASTER CYLINDER

REF No.: H38721.0.4/001 430 7901/
002 430 2101/002 430 8401
BORE: $\Phi 38.1$ (S 406)
APPLICATION: BENZ(LP911B)



CLUTCH SLAVE CYLINDER

REF No.: KG190022.0.1/001 295 1006/
001 295 7706/001 295 6806/
202 290 0112
BORE: $\Phi 19.05$ (S5516)
APPLICATION: BENZ(W201)D2.0



CLUTCH SLAVE CYLINDER

REF No.: KG19055.1.1/000 295 9106/
001 295 1406
BORE: $\Phi 19.05$ (S5516)
APPLICATION: BENZ(W123)200



BRAKE MASTER CYLINDER

REF No.: H34703.0.0/002 430 1401/
002 430 4101/002 430 8001/002 430 9201
BORE: $\Phi 38.1$ (S 406)
APPLICATION: BENZ(2219K0)



BRAKE MASTER CYLINDER

REF No.: H31720.0.0/001 430 8801
BORE: $\Phi 31.75$ (S 415)
APPLICATION: BENZ



BRAKE MASTER CYLINDER

REF No.: H17853.10.1/000 295 8706
BORE: $\Phi 17.46$ $\Phi 20.64$ (S5207)
APPLICATION: BENZ(1013AK)



BRAKE MASTER CYLINDER

REF No.: H17853.1.1/318 295 0006
BORE: $\Phi 17.46$ $\Phi 20.64$ (S5207)
APPLICATION: BENZ



CLUTCH SLAVE CYLINDER

REF No.: KN3194C1/001 295 4407
BORE: $\Phi 31.8$ (S6481)
APPLICATION: BENZ(NG1225AF)



CLUTCH MASTER CYLINDER

REF No.: MKG190110.4.1/002 295 0806
BORE: $\Phi 19.05$
APPLICATION: BENZ(1823AK)



CLUTCH SLAVE CYLINDER

REF No.: KN23017A1/001 295 1307/
001 295 1407/001 295 2907/001 295 2707/
001 295 3007/201 290 0311
BORE: $\Phi 23.81$ (S6414)
APPLICATION: BENZ(W201.20)



CLUTCH SLAVE CYLINDER

REF No.: KN22056D1/002 295 2107/
001 295 2907
BORE: $\Phi 22.22$ (S6761)
APPLICATION: BENZ(901.902)



CLUTCH MASTER CYLINDER

REF No.: KG2395.1.4/000 295 9406
BORE: $\Phi 23.81$ (S5185)
APPLICATION: BENZ(1200T)



CLUTCH MASTER CYLINDER

REF No.: KG20001.0.8/001 295 9106
BORE: $\Phi 20.64$
APPLICATION: BENZ(1017AK)



CLUTCH SLAVE CYLINDER

REF No.: KN3199A1/002 295 0107
BORE: $\Phi 31.75$ (S6578)
APPLICATION: BENZ(1320LS)



CLUTCH SLAVE CYLINDER

REF No.: KN3301D1/001 295 8507/
001 295 8607/001 295 9707/002 295 0207
BORE: $\Phi 33.34$ (S6578)
APPLICATION: BENZ(303/340)(KASSBOHRER)



CLUTCH SLAVE CYLINDER

REF No.: KN28031B1/002 295 1607
BORE: $\Phi 28.57$ (S6712)
APPLICATION: BENZ(1117K)



CLUTCH MASTER CYLINDER

REF No.: KG190084.0.1/002 295 0206
BORE: $\Phi 19.05$
APPLICATION: BENZ(1823LS)



BRAKE MASTER CYLINDER

REF No.: H38944.0.2/002 430 7201/
003 430 3001/H38947.0.2/003 430 7401
BORE: $\Phi 38.1$ (S5154)
APPLICATION: BENZ(1217K0/1017AF)



BRAKE MASTER CYLINDER

REF No.: H41902.0.1/002 430 6901/
003 430 3101/003 430 4001/A003 430 4001
BORE: $\Phi 41.27$ (S5154)
APPLICATION: BENZ(1013AK/1617AK)(KASSBOHRER)



BRAKE MASTER CYLINDER

REF No.: H347908.0.1/003 430 5501/
H347908.0.3/004 430 4301/004 430 7401
Bore: Φ 34.92 (S5249)
APPLICATION: BENZ(2219L/2224K)



BRAKE MASTER CYLINDER

REF No.: H2-41701.0.1/8.282.213.000/
8.282.213.000C/ H41701.0.2/
003 430 4901
Bore: Φ 41.27 (S5249)
APPLICATION: BENZ(2219K0/2224K)(KASSBOHRER)



BRAKE MASTER CYLINDER

REF No.: N24802C1/000 296 0107/
006 420 1518/007 420 2118
Bore: Φ 24/34 (S6284)
APPLICATION: BENZ(1617S/1626AK)



BRAKE MASTER CYLINDER

REF No.: H38933.0.0/001 430 6001/
001 430 6801/002 430 8801
Bore: Φ 38.1 (S5019)
APPLICATION: BENZ(LPS 911B)



WHEEL BRAKE CYLINDER

REF No.: R4192B1/003 420 7718
Bore: Φ 41.27 (S6102)
APPLICATION: BENZ(LPS 911B)



WHEEL BRAKE CYLINDER

REF No.: R44014A1/004 420 1218/
005 420 8318
Bore: Φ 44.45 (S6259)
APPLICATION: BENZ(1217K0)



WHEEL BRAKE CYLINDER

REF No.: RCCR0090-7
Bore: Φ 44.45
APPLICATION: BENZ



WHEEL BRAKE CYLINDER

REF No.: R4496B1/002 420 5218/
002 420 7818/008 420 2818
Bore: Φ 44.45 (S6101)
APPLICATION: BENZ



WHEEL BRAKE CYLINDER

REF No.: R4196B1/002 420 8118/
316 420 0118/316 420 0218
Bore: Φ 41.27 (S6092)
APPLICATION: BENZ(1013)



WHEEL BRAKE CYLINDER

REF No.: RCCR2424.0
Bore: Φ 50.8
APPLICATION: BENZ



CLUTCH SLAVE CYLINDER

REF No.: KN28022D1/001 295 4507/
001 295 5407/001 295 9607/
040 321 510/110 118 49
Bore: Φ 28.57 (S6486)
APPLICATION: BENZ (1114AK)(NEOPLAM)



CLUTCH SLAVE CYLINDER

REF No.: KN28022E1/680 295 0007
Bore: Φ 28.57 (S6486)
APPLICATION: BENZ



CLUTCH SLAVE CYLINDER

REF No.: RCCE 0031.9/386 295 7007/
386 295 7207
Bore: Φ 38.1
APPLICATION: BENZ



BRAKE MASTER CYLINDER

REF No.: 004 430 5001/004 430 5301
Bore: Φ 30
APPLICATION: BENZ



CLUTCH MASTER CYLINDER

REF No.: KG190050.1.1/001 295 1106/
001 295 1706/001 295 7606/001 295 7906/
001 295 8606
Bore: Φ 19.05 (S5156)
APPLICATION: BENZ (601)210 2.3



CLUTCH SLAVE CYLINDER

REF No.: KN25020B1/0247 7718/
4203 7645
Bore: Φ 25.4 (S6167)
APPLICATION: IVECO (160-23AHW)



CLUTCH MASTER CYLINDER

REF No.: 166 9488/162 0462/158 1209
Bore: Φ 28.57
APPLICATION: VOLVO (F10/F260)



CLUTCH MASTER CYLINDER

REF No.: KG28019.4.2/2083 5246/
8172 824/2055 3587/20553 5588/
3192 696
Bore: Φ 28.57
APPLICATION: VOLVO (FH12/FH16)



CLUTCH MASTER CYLINDER

REF No.: 970 150 0010/000 250 0562
Bore: Φ 69 Φ 26
APPLICATION: BENZ



CLUTCH MASTER CYLINDER

REF No.: A384 295 0006
Bore: Φ 19.05
APPLICATION: BENZ



CLUTCH SLAVE CYLINDER

REF No.: KN25021D1/002 295 1507/
002 295 1707
Bore: Φ 25.4 (S6167)
APPLICATION: BENZ (LN/LN2811K)



CLUTCH MASTER CYLINDER

REF No.: KG28014.1.1/1669 488/
1620 462/1614 351/1581 209
Bore: Φ 28.57 (S5269)
APPLICATION: VOLVO (F10/F12/F16)



CLUTCH MASTER CYLINDER

REF No.: KG28012.0.1/1628 218/
1628 218-8
Bore: Φ 28.57 (S5547)
APPLICATION: VOLVO (FH12/520)



CLUTCH MASTER CYLINDER

REF No.: KG2397.1.19/3127 318/
6857 432/3953 328/6028 036/6771 722
Bore: Φ 23.81 (S5575)
APPLICATION: VOLVO (F4/F6/F7)



CLUTCH MASTER CYLINDER

REF No.: KG2397.1.17/3952 543/3952 544
Bore: Φ 23.81(S5575)
APPLICATION: VOLVO(F4/F6/F7)



CLUTCH SLAVE CYLINDER

REF No.: 965 001 9022/2074 6915
Bore: Φ 26
APPLICATION: VOLVO



CLUTCH SLAVE CYLINDER

REF No.: 2045 8737/970 051 5050
Bore: Φ 37.5
APPLICATION: VOLVO



CLUTCH SLAVE CYLINDER

REF No.: 8089 680
Bore: Φ 37
APPLICATION: VOLVO



CLUTCH MASTER CYLINDER

REF No.: 623160AM/81.30715.6119
Bore: Φ 24
APPLICATION: MAN (EM222/223)



CLUTCH MASTER CYLINDER

REF No.: KG.23027.0.1/81.30715.6119/
81.30715.6121/81.30715.6111
Bore: Φ 23.81(S5500)
APPLICATION: MAN (EM222/223)



CLUTCH MASTER CYLINDER

REF No.: 623109AM/81.30715.6120
Bore: Φ 26
APPLICATION: MAN (19.273FLS)



CLUTCH MASTER CYLINDER

REF No.: KG2597.1.1/81.30715.6108/
81.30715.6122/81.30715.6120
Bore: Φ 25.4(S5500)
APPLICATION: MAN (EM222/223)



CLUTCH MASTER CYLINDER

REF No.: KG2597.1.2/81.30715.6112
Bore: Φ 25.4(S5500)
APPLICATION: MAN (FRH362/292)



CLUTCH MASTER CYLINDER

REF No.: KG23030.0.2/81.30715.6135
Bore: Φ 23.81(S5571)
APPLICATION: MAN (19.273FAK)



CLUTCH MASTER CYLINDER

REF No.: KG25007.0.3/81.30715.6136/
81.30715.6137
Bore: Φ 25.4(S5574)
APPLICATION: MAN (19.364FAK)



CLUTCH MASTER CYLINDER

REF No.: KG22028.0.2/81.30715.6141
Bore: Φ 22.22(S5571)
APPLICATION: MAN (M14.224MAK)



CLUTCH MASTER CYLINDER

REF No.: KG2-3401.0.1/81.30715.6037/
81.30715.6051/81.30715.6092
Bore: Φ 34.92
APPLICATION: MAN(SG220)



CLUTCH MASTER CYLINDER

REF No.: H34703.0.0/90.81081.8115
Bore: Φ 34.92 (S406)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: H31720.0.0/81.51130.6013/
81.51130.7005
Bore: Φ 31.75 (S415)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: MKG23852.1.1/81.30715.6152
Bore: Φ 23.81 Φ 40.0 (KG23852)
APPLICATION: MAN(TGA18.310FAC)



CLUTCH MASTER CYLINDER

REF No.: MKG23852.4.3/81.30715.6156/
81.30715.6149/81.30715.6154
Bore: Φ 23.81 Φ 40.0 (Kg23852)
APPLICATION: MAN(TGA18.310FAC)



CLUTCH MASTER CYLINDER

REF No.: KG22027.0.2/81.30715.6140
Bore: Φ 22.22 (S5554)
APPLICATION: MAN(10.145LK)



CLUTCH MASTER CYLINDER

REF No.: KG250006.0.2/81.30715.6132/
81.30715.6132
Bore: Φ 25.4 (S5554)
APPLICATION: MAN(EL202)



CLUTCH MASTER CYLINDER

REF No.: KG23712.1.4/81.30715.6115/
81.30715.6071/81.30715.6065
Bore: Φ 23.81 (S5294)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: KG26701.1.3/81.30715.6068/
81.30715.6075/81.30715.6117
Bore: Φ 26.99 (S5346)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: KG25794.1.3/81.30715.6116/
81.30715.6076/81.30715.6066
Bore: Φ 25.4 (S5346)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: KG28706.1.1/81.30715.6084
Bore: Φ 28.57(S5424)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: KG23791.1.2/81.30715.6011/
81.30715.6028/81.30715.6040
Bore: Φ 23.81 (S5570)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: KG25792.1.1/81.30715.6017/
81.30715.6057/81.30715.6059
Bore: $\Phi 25.4$ (S5570)
APPLICATION: MAN



CLUTCH SLAVE CYLINDER

REF No.: 81.30716.6323/CS25.05
Bore: $\Phi 25.4$
APPLICATION: MAN



CLUTCH SLAVE CYLINDER

REF No.: KN 38017.3.6/175 6460/
135 5979/133 2517/532 517
Bore: $\Phi 38.1$ (273.5mm)
APPLICATION: SCANIA



CLUTCH SLAVE CYLINDER

REF No.: KN 38017.3.5/150 6121/
154 5626/175 4943
Bore: $\Phi 38.1$ (129.5mm)
APPLICATION: SCANIA



CLUTCH SLAVE CYLINDER

REF No.: KN310781/81.30716.6043/
81.30716.6051
Bore: $\Phi 31.75$ (S8207)
APPLICATION: MAN



CLUTCH SLAVE CYLINDER

REF No.: KN28014C1/81.30716.6055/
81.30716.6082
Bore: $\Phi 28.57$ (S6369)
APPLICATION: MAN (G 8.136 FOC)



CLUTCH MASTER CYLINDER

REF No.: 225 0105/537 194
Bore: $\Phi 25.4$
APPLICATION: SCANIA



CLUTCH MASTER CYLINDER

REF No.: 415 126
Bore: $\Phi 25.4$
APPLICATION: SCANIA



CLUTCH SLAVE CYLINDER

REF No.: KN28013A1/81.30716.6020/
81.30716.6033/81.30716.6046/
81.30716.6057
Bore: $\Phi 28.57$ (S6271)
APPLICATION: MAN



CLUTCH MASTER CYLINDER

REF No.: 974 010 0060/974 010 0080/
81 30700 6018/81 30700 6019/
81 30700 6020
Bore: $\Phi 69$ $\Phi 26$
APPLICATION: MAN (TGL10.180 FC)



CLUTCH MASTER CYLINDER

REF No.: KG 2595.1.4/292 962/355 973
Bore: $\Phi 25.4$
APPLICATION: SCANIA(112H/280)



CLUTCH MASTER CYLINDER

REF No.: KG 2596.1.5/446 414/428 372
Bore: $\Phi 25.4$ (S5315)
APPLICATION: SCANIA(BUS/K113)



CLUTCH MASTER CYLINDER

REF No.: KG19080.1.3/81.30715.6069/
81.30715.6105/81.30715.6123/
81.30715.6124
Bore: $\Phi 19.05$ (S5310)
APPLICATION: MAN (G 10.136FL)



CLUTCH SLAVE CYLINDER

REF No.: KN25031A1/81.30716.6065
Bore: $\Phi 25.4$ (S6364)
APPLICATION: MAN (G 10.136FL)



CLUTCH MASTER CYLINDER

REF No.: KG2 2019.1.1/127 8342
Bore: $\Phi 22.22$ (S5372)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: KG 250001.0.2/109 740/
395 161/963 92
Bore: $\Phi 25.4$ (S5171)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: KG 250004.0.2/136 1136/
110 5332/111 4685
Bore: $\Phi 25.4$ (S5524)
APPLICATION: SCANIA



CLUTCH MASTER CYLINDER

REF No.: 624 503AM/136 1136
Bore: $\Phi 26$
APPLICATION: SCANIA



CLUTCH MASTER CYLINDER

REF No.: 626 760AM/134 8733/
133 9412/126 5209
Bore: $\Phi 26$
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: 626 761AM/134 8734
Bore: $\Phi 24$
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: 624 502AM/1358801/1105332
Bore: $\Phi 26$
APPLICATION: SCANIA



CLUTCH MASTER CYLINDER

REF No.: 1000179039AM/180 0442/
152 3400/192 7829
Bore: $\Phi 23.81$
APPLICATION: SCANIA (G380)



CLUTCH MASTER CYLINDER

REF No.: 626 762AM 134 8735/
139 5485/133 4482
Bore: $\Phi 22$
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: KG 28010.0.1/223 443/
372 589/894 880
Bore: $\Phi 28.57$ (S5505)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: KG 28011.0.1/4075 1820/
280 242/390 487/532 259/751 820
Bore: Φ 28.57 (S5046)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

JUDA No.: JD01122
REF No.: KG 22026.0.1/129 1190
Bore: Φ 22.22 (S5505)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: 625 536 AM/122 381-6
Bore: Φ 28
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KN3 8015A1/5000 673 246/
5000 791 470/5010 244 193/
5516 021 277/5516 030 915
Bore: Φ 38.1
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KG 250005.0.1/125 5105
Bore: Φ 25.4 (S5505)
APPLICATION: DAF (FA65.210)



CLUTCH SLAVE CYLINDER

REF No.: 965 001 9022/162 3053
Bore: Φ 26
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: KG 23712.1.4/5000 809 514
Bore: Φ 23.81 (S5204)
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KG 25794.1.3/5000 286 420
Bore: Φ 25.4 (S5346)
APPLICATION: RENAULT V.I.



CLUTCH SLAVE CYLINDER

REF No.: KH 3103B1/166 495/533 144
Bore: Φ 31.75 (S876)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: KG 2394.1.12/129 1509/
691 041
Bore: Φ 23.81 (S5138)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: KG 2397.1.19/5010 056 380/
5516 028 036
Bore: Φ 23.81 (S5575)
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KG 23791.1.2/5000 243 266/
5000 275 012
Bore: Φ 23.81 (S5570)
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KG 2394.1.13
Bore: Φ 23.81 (S5138)
APPLICATION: DAF



CLUTCH MASTER CYLINDER

REF No.: 623 104 AM/5000 877 187
Bore: Φ 26
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KG 25792.1.1/5000 023 049/
5000 023 159
Bore: Φ 25.4 (S5570)
APPLICATION: RENAULT V.I.



CLUTCH SLAVE CYLINDER

REF No.: KG 28018.1.2/5010 245 493/
5010 452 711
Bore: Φ 28.57 (S5589)
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: 623 105 AM/5000 877 188
Bore: Φ 28
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: 623 106 AM/5000 792 359
Bore: Φ 26
APPLICATION: RENAULT V.I.



CLUTCH SLAVE CYLINDER

REF No.: 965 001 9022/5001 864 263/
5001 857 546
Bore: Φ 26
APPLICATION: RENAULT V.I.



BRAKE MASTER CYLINDER

REF No.: H38952.0.1/5001 005 291
Bore: Φ 38.1 (S5154)
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: 624 248 AM/5010 251 357
Bore: Φ 28
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KG 28021.0.1/5001 834 842/
5010 260 052/626 159 AM
Bore: Φ 28
APPLICATION: RENAULT V.I.



BRAKE MASTER CYLINDER

REF No.: H 41901.0.6/5000 541 769/
H 41901.0.7/5000 547 036/
5516 017 639
Bore: Φ 41.27 (S5154)
APPLICATION: RENAULT V.I.



CLUTCH SLAVE CYLINDER

REF No.: KN28013A1/5000 589 359
Bore: Φ 28.57 (S6271)
APPLICATION: RENAULT V.I.



CLUTCH MASTER CYLINDER

REF No.: KG23401.0.1/2505 616/
0250 5616
Bore: Φ 34.92
APPLICATION: IVECO



CLUTCH MASTER CYLINDER

REF No.: H31720.0.0/0262 0411/
5157-28-09.740/5157-28-09.741
Bore: Φ 34.92 (S406)
APPLICATION: IVECO



CLUTCH MASTER CYLINDER

REF No.: KG23017.1.1/4206 3311
Bore: Φ 23.81 (S5461)
APPLICATION: IVECO(160-30AH)



CLUTCH MASTER CYLINDER

REF No.: KG3107.0.1/4121 1005
Bore: Φ 31.75(S5728)
APPLICATION: IVECO(LD190E42)



CLUTCH MASTER CYLINDER

REF No.: KG 3107.1.1/4121 1006/
4128 5356
Bore: Φ 31.75(S5728)
APPLICATION: IVECO(LD190E38P) (Two plug)



CLUTCH MASTER CYLINDER

REF No.: 4121 1007/4128 5311
Bore: Φ 31.75
APPLICATION: IVECO (Three plug)



CLUTCH MASTER CYLINDER

REF No.: KG 250009.1.1/0485 3409/
0485 3406/6604 136
Bore: Φ 25.4
APPLICATION: IVECO(100E15)(100E15K)



CLUTCH MASTER CYLINDER

REF No.: KG 3106.0.1/4853 408/
0485 3408/6159 0154
Bore: Φ 31.75(S7729)
APPLICATION: IVECO(120E28K)



CLUTCH MASTER CYLINDER

REF No.: KG 3105.0.1/0429 2543/
0470 0150/6013 5419/0429 2542
Bore: Φ 31.75(S7707)
APPLICATION: IVECO(190-33P/T)



CLUTCH MASTER CYLINDER

REF No.: 965 001 9022/5031 2774
Bore: Φ 26
APPLICATION: IVECO



CLUTCH MASTER CYLINDER

REF No.: K013840/4128 5167/4128 5278
Bore: Φ 31.75
APPLICATION: IVECO



CLUTCH SLAVE CYLINDER

REF No.: KN 38014A1/0485 4828/
485 4828
Bore: Φ 38.1
APPLICATION: IVECO



CLUTCH MASTER CYLINDER

REF No.: KKG 23013.1.5/4202 6902/
4210 0180
Bore: Φ 23.81 (S5350)
APPLICATION: IVECO



CLUTCH SLAVE CYLINDER

REF No.: KN 3406E66/0247 9783/
247 9783
Bore:
APPLICATION: IVECO



CLUTCH SLAVE CYLINDER

REF No.: KN 3406E77/0247 9765/
0343 5629
Bore: Φ 34.92 (S6173)
APPLICATION: IVECO



CLUTCH MASTER CYLINDER

REF No.: KG 190066.1.1/4217 083/
4797 845/4800 160
Bore: Φ 19.05
APPLICATION: IVECO(zeta109-14)



CLUTCH SLAVE CYLINDER

REF No.: KN 19011A1/4770 993/
4848 576
Bore: Φ 19.05
APPLICATION: IVECO(zeta109-14)



CLUTCH SLAVE CYLINDER

REF No.: 427 6036/427 4434
Bore: Φ 19.05
APPLICATION: IVECO



CLUTCH SLAVE CYLINDER

REF No.: KN 25021D1/0445 9857/
445 9857
Bore: Φ 25.4 (S6167)
APPLICATION: IVECO (160-23AHW)



CLUTCH SLAVE CYLINDER

REF No.: KN 25020B1/0247 7718/
4203 7645
Bore: Φ 25.4 (S6167)
APPLICATION: IVECO (190-25AHW)



CLUTCH MASTER CYLINDER

REF No.: KG 2394.1.12/0247 9001/
4255 8437/129 1509/691 041
Bore: Φ 23.81 (S5138)
APPLICATION: IVECO (100-13AHW)



CLUTCH MASTER CYLINDER

REF No.: KG 2394.1.13
Bore: Φ 23.81 (S5138)
APPLICATION: IVECO



CLUTCH MASTER CYLINDER

REF No.: 383 089
Bore: Φ 31.75
APPLICATION: IVECO (75-80E) (100-150E)



CLUTCH MASTER CYLINDER

REF No.: 504 060 023/500 398 367/
580 144 6199
Bore: Φ 52 Φ 25.4
APPLICATION: IVECO



CLUTCH SLAVE CYLINDER

REF No.: K010190/504 033 670/
504 130 746
Bore: Ø30
APPLICATION: IVECO



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: VOLVO IRON



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: F6 UP ALUMINUM



CLUTCH MASTER CYLINDER

REF No.: 1-47570050-2
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 1-47500239-2
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-98117644-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-97032847-1
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: ME607348
APPLICATION: MITSUBISHI



CLUTCH MASTER CYLINDER

REF No.: ME609072
APPLICATION: MITSUBISHI



CLUTCH MASTER CYLINDER

REF No.: 31420-37142
APPLICATION: Toyota



CLUTCH MASTER CYLINDER

REF No.: 31470-37040
APPLICATION: Toyota



CLUTCH MASTER CYLINDER

REF No.: MC894211
APPLICATION: MITSUBISHI



CLUTCH MASTER CYLINDER

REF No.: 8-97224-372-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-897100-074-2
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 1-47600-581-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 1-47600-582-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 1-47600-583-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 1-47600-584-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 1-47600-585-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 1-47600-586-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-97332225-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-97332226-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-97332227-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-97139840-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-97139841-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 8-97139842-0
APPLICATION: ISUZU



CLUTCH MASTER CYLINDER

REF No.: 31420-1781
APPLICATION: HINO



CLUTCH MASTER CYLINDER

JUDA No.: JD01206
REF No.: 31410-1030
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1171
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31410-1010
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1030
APPLICATION: HINO



CLUTCH MASTER CYLINDER

JUDA No.: JD01208
REF No.: 31420-1640
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1410
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1050
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1470
APPLICATION: HINO



CLUTCH MASTER CYLINDER

JUDA No.: JD01210
REF No.: 31420-1480/31420-1410E
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1610
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31410-E0010
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1512
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31470-1170/31470-1171/31470-1040/
31470-1041/31470-1270
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1820/31420-E0020
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1840/31420-E0040
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31470-1010
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31470-1140/31470-1142
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1670
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: 31420-1500/31420-1501
APPLICATION: HINO



CLUTCH MASTER CYLINDER

REF No.: CL-0X-2096B
APPLICATION:



CLUTCH MASTER CYLINDER

REF No.: 1348735
APPLICATION: DAF



CLUTCH SLAVE CYLINDER

REF No.: 3917998
APPLICATION:



CLUTCH MASTER CYLINDER

REF No.: CL-QX-2097(29-123)
APPLICATION:



CLUTCH MASTER CYLINDER

REF No.: 4983584
APPLICATION:



CLUTCH MASTER CYLINDER

REF No.: 1604-00481-W
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 12.5$
Oil outlet port: M14*1.5-6H
Mounting size: 2*M8-6H*70
APPLICATION: Yutong



CLUTCH MASTER CYLINDER

REF No.: 1605256-020AL
Bore: $\Phi 23.8$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.5-6H
Mounting size: 2*M8-6H*70
APPLICATION: Xiamen Golden Dragon



CLUTCH MASTER CYLINDER

REF No.: 1602010-6860CR3
Bore: $\Phi 23.8$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.5-6H
Mounting size: 2*M8-6H*70
APPLICATION: Xiamen Golden Dragon



CLUTCH MASTER CYLINDER

REF No.:



CLUTCH MASTER CYLINDER

REF No.: 1604-00481
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 12.5$
Oil outlet port: M14*1.5-6H
Mounting size: 2*M8-6H*70
APPLICATION: Yutong



CLUTCH MASTER CYLINDER

REF No.: 16082020060
Bore: $\Phi 20.64$
Oil outlet port: M14*1.5-6g
Mounting size: 2-M6 45
APPLICATION: Jiefang J6 Xinda wei



CLUTCH MASTER CYLINDER

REF No.: 5801475914
Bore: $\Phi 25.4$
Oil outlet port: M14*1.5
Mounting size: 2- $\Phi 9$ 12
APPLICATION: Hongyan Xinjin gang



CLUTCH MASTER CYLINDER

REF No.: 1602-500011
Bore: $\Phi 25.4$
Oil outlet port: M14*1.5
Mounting size: 2- $\Phi 8.5$ 99.5
APPLICATION: Hongyan Jieshi



CLUTCH MASTER CYLINDER

REF No.: WG9719230013
Bore: $\Phi 25.4$
Oil outlet port: M14*1.5
Mounting size: 2*M8-6H 60
APPLICATION: Zhongqi Howo



CLUTCH MASTER CYLINDER

REF No.: WG9719320105
Bore: $\Phi 26$
Oil outlet port: M14*1.5
Mounting size: 2-m8 60
APPLICATION: Zhongqi Howo A7



CLUTCH MASTER CYLINDER

REF No.: DZ97189230522
Oil outlet port: $\Phi 9$ quick coupling
Mounting size: 2-M6-6H*45
APPLICATION: Shanqi M/F/X3000



CLUTCH MASTER CYLINDER

REF No.: 81307156135
Bore: $\Phi 23.81$
Oil outlet port: $\Phi 9$ quick coupling
Mounting size: 2-M8-6H 70
APPLICATION: Shanqi Delong



CLUTCH MASTER CYLINDER

REF No.: 81307156135
Bore: $\Phi 23.81$
Oil outlet port: $\Phi 9$ quick coupling
Mounting size: 2-M8-6H 70
APPLICATION: Shanqi Delong Iron



CLUTCH MASTER CYLINDER

REF No.: 81307156135
Bore: $\Phi 23.81$
Oil outlet port: $\Phi 9$ quick coupling
Mounting size: 2-M8-6H 71
APPLICATION: Shanqi Delong Aluminum



CLUTCH MASTER CYLINDER

REF No.: 03JY-T33
Bore: $\Phi 23.81$
Oil outlet port: M14*1.5-6H
Mounting size: 2-M8-6H 70
APPLICATION: Zhongqi Haojun



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: Xinda kang



CLUTCH MASTER CYLINDER

REF No.: WG9925230520/WG9114230021/3
Bore: $\Phi 25.4$
Oil outlet port: M14*1.25-6H
Mounting size: 2-M8-6H 60
APPLICATION: Balong 507



CLUTCH MASTER CYLINDER

REF No.: 1652MM
Bore: $\Phi 22$
Oil inlet port: $\Phi 12$
Oil outlet port: M12*1.25-6H
Mounting size: 2- $\Phi 8.5$ 99.5
APPLICATION: Xinhong yan



CLUTCH MASTER CYLINDER

REF No.:
Bore: $\Phi 25.4$
Oil outlet port: M14*1.5-6H
Mounting size: 2- $\Phi 10.5$ 60
APPLICATION: Auman ETX



CLUTCH MASTER CYLINDER

REF No.: DZ9112230068
Bore: $\Phi 23.81$
Oil inlet port: $\Phi 12$
Oil outlet port: $\Phi 9$ quick coupling
Mounting size: 2- $\Phi 9$ 60
APPLICATION: Shanqi Aolong



CLUTCH MASTER CYLINDER

REF No.:
Bore: $\Phi 25.4$
Oil outlet port: M12*1.25-6H
Mounting size: 2- $\Phi 10.5$ 60
APPLICATION: Xinhong yan



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: Yiqisida



CLUTCH MASTER CYLINDER

REF No.:
Bore: $\Phi 22.22$
Oil inlet port: $\Phi 12$
Oil outlet port: M12*1.25-6H
Mounting size: 2- $\Phi 10.5$ 82.5
APPLICATION: Jiupin chai



CLUTCH SLAVE CYLINDER

REF No.:
APPLICATION: Jiefang 151



CLUTCH MASTER CYLINDER

REF No.:
Bore: $\Phi 20.64$
Working Stroke: 34 mm
Mounting size: 83.2* $\Phi 10.5$
APPLICATION: Jiefang 151



CLUTCH MASTER CYLINDER

REF No.: 1602110-367
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.5
Mounting size: 2- $\Phi 10.5$ 82.5
APPLICATION: Aowei 367



CLUTCH MASTER CYLINDER

REF No.: 1602110A271
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 12$
Oil outlet port: M12*1.25
Mounting size: 2- $\Phi 10.5$ 82.5
APPLICATION: Xinsi da



CLUTCH MASTER CYLINDER

REF No.: LC132-1602510
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.25-6H
Mounting size: 2- $\Phi 12.5$ 100
APPLICATION: Liuqi Type



CLUTCH MASTER CYLINDER

REF No.: 43271200140-G
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 13$
Oil outlet port: M14*1.5
Mounting size: 2- $\Phi 10.5$ 60
APPLICATION: Zhongqi Haoyun



CLUTCH MASTER CYLINDER

REF No.: 43271200140-G
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 13$
Oil outlet port: M14*1.5-6H
Mounting size: 2- $\Phi 10.5$ 60
APPLICATION: Zhongqi Haoyun



CLUTCH MASTER CYLINDER

REF No.:
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.25-6H
Mounting size: 2- $\Phi 12.5$ 100
APPLICATION: Dongfeng Liuqi



CLUTCH MASTER CYLINDER

REF No.: 1604256-010
Bore: $\Phi 25.4$
Oil outlet port: M10*1
Mounting size: 2- $\Phi 12.5$ 100



CLUTCH MASTER CYLINDER

REF No.: WG91142230021B
APPLICATION: Nanjing Chunlan



CLUTCH SLAVE CYLINDER

REF No.: 160404-010
Bore: $\Phi 24$
APPLICATION: Dongfeng 140-2



CLUTCH SLAVE CYLINDER

REF No.: 1605N-010
Bore: $\Phi 24$
APPLICATION: Dongfeng 153



CLUTCH MASTER CYLINDER

REF No.: 160404-010
Bore: $\Phi 22$
APPLICATION: Dongfeng 140-2



CLUTCH MASTER CYLINDER

REF No.: 1604N-010
Bore: $\Phi 22$
APPLICATION: Dongfeng 153



CLUTCH MASTER CYLINDER

REF No.:
Bore: $\Phi 26.99$
Oil inlet port: $\Phi 14$
Oil outlet port: M14*1.5
Mounting size: 2- $\Phi 12.5$ 100
APPLICATION: Violet



CLUTCH MASTER CYLINDER

REF No.: 1604236-010
Bore: $\Phi 26.99$
Oil inlet port: $\Phi 14.2$
Oil outlet port: M10*1.5-g
Mounting size: 2- $\Phi 12.5$ 100
APPLICATION: Violet $\Phi 27$



CLUTCH MASTER CYLINDER

REF No.: 1604010-C0101
Bore: $\Phi 25$
Oil inlet port: $\Phi 14.2$
Oil outlet port: M14*1.5-6g
Mounting size: 2- $\Phi 11$ 70
APPLICATION: Dongfeng Tianjin



CLUTCH MASTER CYLINDER

REF No.: 1604010-C0100
Bore: $\Phi 25$
APPLICATION: Dongfeng Tianlong



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: Public transportation



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: Steyr King



CLUTCH MASTER CYLINDER

REF No.: AZ9114230021
Bore: $\Phi 22$
Oil inlet port: $\Phi 11$
Oil outlet port: M14*1.5-6H
Mounting size: 2- $\Phi 9$ 60
APPLICATION: New steyr king



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: Dongfeng 1032



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: BJ1041



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: Duolika



DUAL-LINE BRAKE MASTER PUMP

REF No.:
APPLICATION: BJ130 J3



DUAL-LINE BRAKE MASTER PUMP

REF No.:
APPLICATION: BJ130 J2



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: 6115



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: Nanjun



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: BJ 130



CLUTCH SLAVE CYLINDER

REF No.:
APPLICATION: BJ 130



CLUTCH SLAVE CYLINDER

REF No.:
APPLICATION: Jiefang 3T



CLUTCH MASTER CYLINDER

REF No.: 1608A40-010
Bore: $\Phi 23.81$
Oil inlet port: $\Phi 12$
Oil outlet port: M16*1.5-6g
Mounting size: 2- $\Phi 10.5 \times 83$
APPLICATION: Hualing



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: BJ 130



BRAKE MASTER CYLINDER

REF No.:
APPLICATION: BJ 130



CLUTCH MASTER CYLINDER

REF No.: 41410-Y54A0
Bore: $\Phi 26.99$
Oil inlet port: $\Phi 9$
Oil outlet port: M14*1.5
Mounting size: 2-M10*1.25 83
APPLICATION: Jianghuai Geerfa



CLUTCH MASTER CYLINDER

REF No.: 41410-Y5010
Bore: $\Phi 20.64$
Oil inlet port: $\Phi 9$
Oil outlet port: M14*1.5
Mounting size: 2-M10*1.25 83
APPLICATION: Jianghuai Geerfa



CLUTCH MASTER CYLINDER

REF No.:
APPLICATION: BJ 121



BRAKE MASTER CYLINDER

REF No.:
APPLICATION: BJ 121



CLUTCH MASTER CYLINDER

REF No.: 1602110-367
Bore: $\Phi 25.4$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.5-6g
Mounting size: 2- $\Phi 10.5 \times 82.5$
APPLICATION: Aowe 367



CLUTCH MASTER CYLINDER

REF No.: 1602110-385
Bore: $\Phi 22.22$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.5-6g
Mounting size: 2- $\Phi 10.5 \times 83$
APPLICATION: Xindawei 385



FRONT BRAKE CYLINDER

REF No.:
APPLICATION: MJ 136



FRONT BRAKE CYLINDER

REF No.:
APPLICATION: MJ 130



CLUTCH MASTER CYLINDER

REF No.: 112411630003
Bore: $\Phi 23.81$
Oil inlet port: $\Phi 11.5$
Oil outlet port: M14*1.5-6H
Mounting size: 2- $\Phi 10.5 \times 80$
APPLICATION: Auman



CLUTCH MASTER CYLINDER

REF No.: AZ9123230059
Bore: $\Phi 22$
Oil inlet port: $\Phi 10$
Oil outlet port: M14*1.5-6H
Mounting size: 2- $\Phi 8.5 \times 30$
APPLICATION: Zhongqi Gold Prince



REAR BRAKE CYLINDER

REF No.:
APPLICATION: MJ 130



BRAKE MASTER CYLINDER

REF No.:
APPLICATION: MJ 130



REAR BRAKE CYLINDER

REF No.:
APPLICATION: BJ 212



FORNT BRAKE CYLINDER

REF No.:
APPLICATION: BJ 212



CLUTCH MASTER CYLINDER

REF No.:
Model: F2810355X0005(10*1)
APPLICATION: Futian



WHEEL BRAKE CYLINDER

REF No.:
Model: WLP-6A
APPLICATION: Family Portrait



BRAKE MASTER CYLINDER

REF No.:
Bore: $\Phi 25.4$
Model: WZ130A-00
APPLICATION: Wuzheng Shifeng



BRAKE MASTER CYLINDER

REF No.:
Bore: $\Phi 22$
Model: WZ130-00
APPLICATION: Wuzheng Shifeng



CLUTCH MASTER CYLINDER

REF No.:
Bore: $\Phi 19.05$
Model: BYLH1675WZ(10*1)
APPLICATION: Wuzheng Beijing



BRAKE MASTER CYLINDER

REF No.:
Bore: $\Phi 22$
Model: SF480(10*1)
APPLICATION: Shifeng 480



BRAKE MASTER CYLINDER

REF No.:
Bore: $\Phi 22$
Model: BYWZ130(10*1)
APPLICATION: Wuzheng Shifeng 380



BRAKE MASTER CYLINDER

REF No.:
Bore: $\Phi 19.05$
Model: FT1021
APPLICATION: Futian Wuxing



BRAKE MASTER CYLINDER

REF No.:
Bore: $\Phi 25.4$
Model: SF130B(12*1.25)
APPLICATION: Shifeng 380



CLUTCH MASTER CYLINDER

REF No.: NCL1604-03310
Bore: $\Phi 22$
Oil inlet port: $\Phi 12$
Oil outlet port: M14*1.5
Mounting size: 2- $\Phi 9$
APPLICATION: Steyr



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: Xinxu gong



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: Xugong



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: Pingdi ji



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: New style 260



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: XP 260



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: XL 20



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: Four eyes 16



WHEEL BRAKE CYLINDER

REF No.:
APPLICATION: Two eyes 16



AIR BOOSTER PUMP

REF No.:
APPLICATION: XIAGONG 50



AIR BOOSTER PUMP

REF No.:
APPLICATION: LINGONG 953



AIR BOOSTER PUMP

REF No.:
APPLICATION: LIUGONG NEW



AIR BOOSTER PUMP

REF No.:
APPLICATION: LONGGONG



AIR BOOSTER PUMP

REF No.:
APPLICATION: LONGGONG



AIR BOOSTER PUMP

REF No.:
APPLICATION: 30 MODEL



AIR BOOSTER PUMP

REF No.:
APPLICATION: LINGONG/XUGONG



AIR BOOSTER PUMP

REF No.:
APPLICATION: XIAGONG/LINGONG/
LONGGONG



AIR BRAKE VALVE

REF No.:
APPLICATION: XM60C



AIR BRAKE VALVE

REF No.:
APPLICATION: YIGONG/XIAGONG



AIR BOOSTER PUMP

REF No.:
APPLICATION: 209 MODEL



AIR BOOSTER PUMP

REF No.:
APPLICATION: New style 260



AIR BOOSTER PUMP

REF No.:
APPLICATION: XIAGONG/LINGONG



AIR BOOSTER PUMP

REF No.:
APPLICATION: LIUGONG/LINGONG



AIR BRAKE VALVE

REF No.:
APPLICATION: LINGONG 953



AIR BRAKE VALVE

REF No.:
APPLICATION: LONGGONG



CLUTCH SERVO

REF No.: 642-03080
DIA: 70mm
STROKE: 35mm
AIR: M14x1.5
HYD: M12x1.5
APPLICATION: NISSAN, HINO, MITSUBISHI



CLUTCH SERVO

REF No.: 642-03502
DIA: 90mm
STROKE: 35mm
AIR: M14x1.5
HYD: M12x1.5
APPLICATION: NISSAN, HINO



CLUTCH SERVO

REF No.: 642-03505
DIA: 105mm
STROKE: 35mm
AIR: M14x1.5
HYD: M12x1.5
APPLICATION: KING LONG



CLUTCH SERVO

REF No.: 970 051 102 0
DIA: 76mm
STROKE: 67mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES, MAN



CLUTCH SERVO

REF No.: 970 051 107 0
DIA: 102mm
STROKE: 58mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO

REF No.: 970 051 111 0
DIA: 75mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: 970 051 114 0
DIA: 76mm
STROKE: 67mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, IVECO, RVI, ZF



CLUTCH SERVO

REF No.: 970 051 124 0
DIA: 102mm
STROKE: 58mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RVI



CLUTCH SERVO

REF No.: 970 051 125 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: 970 051 126 0
DIA: 76mm
STROKE: 67mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, IVECO, RVI



CLUTCH SERVO

REF No.: 970 051 127 0
DIA: 102mm
STROKE: 58.5mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, IVECO



CLUTCH SERVO

REF No.: 970 051 128 0
DIA: 102mm
STROKE: 58.5mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES



CLUTCH SERVO

REF No.: 970 051 129 0
DIA: 76mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: 970 051 130 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: 970 051 136 0
DIA: 75mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: 970 051 150 0
DIA: 76mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: 970 051 152 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 158 0
DIA: 85mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES



CLUTCH SERVO

REF No.: 970 051 131 0
DIA: 85mm
STROKE: 72mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES



CLUTCH SERVO

REF No.: 970 051 135 0
DIA: 76mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: 970 051 137 0
DIA: 75mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES



CLUTCH SERVO

REF No.: 970 051 151 0
DIA: 85mm
STROKE: 65mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 157 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: 970 051 159 0
DIA: 102mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES



CLUTCH SERVO

REF No.: 970 051 163 0
DIA: 102mm
STROKE: 74mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 164 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 209 0
DIA: 102mm
STROKE: 58.5mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RVI



CLUTCH SERVO

REF No.: 970 051 218 0
DIA: 102mm
STROKE: 23mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RVI



CLUTCH SERVO

REF No.: 970 051 165 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: NEOPLAN



CLUTCH SERVO

REF No.: 970 051 170 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF,MAN



CLUTCH SERVO

REF No.: 970 051 307 0
DIA: 102mm
STROKE: 85mm
AIR: M22x1.5
HYD: M14x1.5
APPLICATION: MAN,SCANIA,ZF



CLUTCH SERVO

REF No.: 970 051 402 0
DIA: 102mm
STROKE: 65.7mm
AIR: M22x1.5
HYD: M14x1.5
APPLICATION: RVI



CLUTCH SERVO

REF No.: 970 051 172 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: ZF



CLUTCH SERVO

REF No.: 970 051 176 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF,MAN,ZF



CLUTCH SERVO

REF No.: 970 051 405 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 406 0
DIA: 75mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF,MAN,ZF



CLUTCH SERVO

REF No.: 970 051 178 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 179 0
DIA: 102mm
STROKE: 67mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 407 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA,DAF,RVI,ZF



CLUTCH SERVO

REF No.: 970 051 412 0
DIA: 102mm
STROKE: 85mm
AIR: M22x1.5
HYD: M14x1.5
APPLICATION: DAF,MERCEDES



CLUTCH SERVO

REF No.: 970 051 128 0
DIA: 85mm
STROKE: 65mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 192 0
DIA: 102mm
STROKE: 58.5mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: VOLVO



CLUTCH SERVO

REF No.: 970 051 413 0
DIA: 102mm
STROKE: 65mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF,RVI



CLUTCH SERVO

REF No.: 970 051 414 0
DIA: 100mm
STROKE: 85mm
AIR: M22x1.5
HYD: M14x1.5
APPLICATION: SCANIA,MAN,DAF,RVI



CLUTCH SERVO

REF No.: 970 051 204 0
DIA: 80.5mm
STROKE: 24mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO,DAF



CLUTCH SERVO

REF No.: 970 051 205 0
DIA: 75mm
STROKE: 61mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: 970 051 422 0
DIA: 102mm
STROKE: 75mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RVI



CLUTCH SERVO

REF No.: 970 051 423 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA,RVI,ZF,DAF



CLUTCH SERVO

REF No.: 970 051 429 0
DIA: 75mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RVI



CLUTCH SERVO

REF No.: 970 051 431 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 455 0
DIA: 102mm
STROKE: 25.2mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: 970 051 473 0
DIA: 102mm
STROKE: 74mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: 970 051 432 0
DIA: 76mm
STROKE: 85mm
AIR: M22x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: 970 051 435 0
DIA: 75mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA, ZF, MAN



CLUTCH SERVO

REF No.: 970 150 001 0
DIA: 115mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: 970 051 601 0
DIA: 75mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: VOLVO, RENAULT



CLUTCH SERVO

REF No.: 970 051 438 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES



CLUTCH SERVO

REF No.: 970 051 437 0
DIA: 102mm
STROKE: 74mm
AIR: M22x1.5
HYD: M14x1.5
APPLICATION: FORD, KAMAZ



CLUTCH SERVO

REF No.: VG3200
DIA: 75mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN, IVECO



CLUTCH SERVO

REF No.: VG3204
DIA: 75mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, BMC



CLUTCH SERVO

REF No.: 970 051 438 0
DIA: 102mm
STROKE: 73.5mm
AIR: M22x1.5VOSS
HYD: M14x1.5
APPLICATION: DAF, IVECO, RENAULT



CLUTCH SERVO

REF No.: 970 051 439 0
DIA: 102mm
STROKE: 74mm
AIR: M22x1.5VOSS
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: VG3208
DIA: 100mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

JUDA No.: JD02068
REF No.: VG3213
DIA: 100mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: 970 051 441 0
DIA: 102mm
STROKE: 58.5mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, MERCEDES



CLUTCH SERVO

REF No.: 970 051 443 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: VG3229
DIA: 100mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: VG3261
DIA: 102mm
STROKE: 84mm
AIR: M22x1.5VOSS
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: 970 051 444 0
DIA: 75mm
STROKE: 85mm
AIR: M22x1.5VOSS
HYD: M14x1.5
APPLICATION:



CLUTCH SERVO

REF No.: 970 051 446 0
DIA: 102mm
STROKE: 85mm
AIR: M22x1.5
HYD: M14x1.5
APPLICATION: MAN, MERCEDES



CLUTCH SERVO

REF No.: VG3262
DIA: 75mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN, BMC BUS



CLUTCH SERVO

REF No.: VG3264
DIA: 100mm
STROKE: 77mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: VG3265
DIA: 75mm
STROKE: 40mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: VG3288
DIA: 100mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: G25524AM
DIA: 100mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RVI



CLUTCH SERVO

REF No.: G28275AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: VG3289
DIA: 100mm
STROKE: 84mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO

REF No.: VG3361
DIA: 102mm
STROKE: 76.8mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MERCEDES



CLUTCH SERVO

REF No.: G22785AM
DIA: 80mm
STROKE: 80mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO

REF No.: G27612AM
DIA: 100mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RENAULT



CLUTCH SERVO

REF No.: G22019AM
DIA: 100mm
STROKE: 50mm
AIR: M14x1.5
HYD: M12x1.5
APPLICATION: SCANIA



CLUTCH SERVO

REF No.: G26639AM
DIA: 95mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO

REF No.: G29300AM
DIA: 100mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RENAULT



CLUTCH SERVO

REF No.: G28493AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF, IVECO, RVI



CLUTCH SERVO

REF No.: G26392AM
DIA: 80mm
STROKE: 52mm
AIR: M16x1.5
HYD: 7/16-20 UNF
APPLICATION: VOLVO



CLUTCH SERVO

REF No.: G22190AM
DIA: 100mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO

REF No.: G28494AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: VOLVO



CLUTCH SERVO

REF No.: G27026AM
DIA: 80mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: HYUNDAI



CLUTCH SERVO

REF No.: G22199AM
DIA: 100mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO

REF No.: G28260AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: G28276AM
DIA: 80mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: G27497AM
DIA: 80mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: LEYLAND, DAF



CLUTCH SERVO

REF No.: G25506AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAN



CLUTCH SERVO

REF No.: G27479AM
DIA: 100mm
STROKE: 58mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: HYUNDAI



CLUTCH SERVO

REF No.: G28276AM
DIA: 80mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO

REF No.: G28277AM
DIA: 80mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: DAF



CLUTCH SERVO
REF No.: 629276AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: VOLVO



CLUTCH SERVO
REF No.: 629277AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: VOLVO



CLUTCH SERVO
REF No.: 63566103
DIA: 63.5mm
STROKE:
AIR: 1/8-27 UNF
HYD: 7/16-20 UNF
APPLICATION: DAF



CLUTCH SERVO
REF No.: APGA1605
DIA: 63.5mm
STROKE:
AIR: 1/8-27 UNF
HYD: 7/16-20 UNF
APPLICATION: DAF, VOLVO



CLUTCH SERVO
REF No.: 630361AM
DIA: 100mm
STROKE: 80mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO
REF No.: 629683AM
DIA: 100mm
STROKE: 27.5mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO
REF No.: WG9114230018/2
DIA: 102mm
STROKE: 60mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: STR



CLUTCH SERVO
REF No.: WG9114230023
DIA: 90mm
STROKE: 67mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: STR



CLUTCH SERVO
REF No.: 624199AM
DIA: 100mm
STROKE: 70mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO
REF No.: 1000443286AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: VOLVO



CLUTCH SERVO
REF No.: 530100-1609510
DIA: 130mm
STROKE: 35mm
AIR: 1/8NPT
HYD: M12x1.5
APPLICATION: KAMAZ



CLUTCH SERVO
REF No.: 11-1602410-10
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: URAL



CLUTCH SERVO
REF No.: 1000443297AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: VOLVO



CLUTCH SERVO
REF No.: 1000129485AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RENAULT



CLUTCH SERVO
REF No.: 11-1602410-20
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: KRAZ, LIAZ, LAZ



CLUTCH SERVO
REF No.: 11-1602410-30
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: MAZ



CLUTCH SERVO
REF No.: 1000139593AM
DIA: 100mm
STROKE:
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: RENAULT



CLUTCH SERVO
REF No.: 1000178631AM
DIA: 120mm
STROKE: 0
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO
J002117
REF No.: 11-1602410-40
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: KAMAZ



CLUTCH SERVO
REF No.: 7422327063
APPLICATION: RVI



CLUTCH SERVO
REF No.: VG3286AM
DIA: 100mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: IVECO



CLUTCH SERVO
REF No.: 974 010 001 0
DIA: 102mm
STROKE: 85mm
AIR: M16x1.5
HYD: M14x1.5
APPLICATION: SCANIA



CLUTCH SERVO
REF No.: K013727N50
DIA: 102mm
STROKE: 70mm
APPLICATION: DAF, IVECO, ZF, MAN, RENAULT



CLUTCH SERVO
REF No.: K015875N50
DIA: 102mm
STROKE: 70mm
APPLICATION: SCANIA, VOYLO, RENAULT



SPRING BRAKE CHAMBER

TYPE: T24/24DD(DISC)
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: $\Phi 16$
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T20/24DD(DISC)
STROKE: 57/57
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: $\Phi 16$
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T30/30DP
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



SPRING BRAKE CHAMBER

TYPE: T24/24DP
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



SPRING BRAKE CHAMBER

TYPE: T20/24DP
STROKE: 57/57
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



SPRING BRAKE CHAMBER

TYPE: T30/30DP(DISC)
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: $\Phi 16$
PUSH ROD LENGTH: 15mm



BRAKE CHAMBER

TYPE: T30
STROKE: 64
PORT THREAD: 3/8"NPT
BOLT THREAD: 5/8"-11UNC
PUSH ROD THREAD: 5/8"-18UNF
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T30
STROKE: 64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T24
STROKE: 64
PORT THREAD: 3/8"NPT
BOLT THREAD: 5/8"-11UNC
PUSH ROD THREAD: 5/8"-18UNF
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T24
STROKE: 64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T24
STROKE: 57
PORT THREAD: M22x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: 110mm



BRAKE CHAMBER

TYPE: T20
STROKE: 57
PORT THREAD: 3/8"NPT
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T30
STROKE: 64
PORT THREAD: 3/8"NPT
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T30-L
STROKE: 76
PORT THREAD: 2-M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T24
STROKE: 64
PORT THREAD: 3/8"NPT
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T24-L
STROKE: 76
PORT THREAD: 2-M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T20
STROKE: 57
PORT THREAD: 3/8"NPT
BOLT THREAD: 5/8"-11UNC
PUSH ROD THREAD: 5/8"-18UNF
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T20
STROKE: 57
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T16
STROKE: 57
PORT THREAD: 3/8"NPT
BOLT THREAD: 7/16-14
PUSH ROD THREAD: 5/8"-18UNF
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T12
STROKE: 45
PORT THREAD: 3/8"NPT
BOLT THREAD: 7/16-14
PUSH ROD THREAD: 1/2-20UNF
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T30(DISC)
STROKE: 64
PORT THREAD: 2-M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD LENGTH: 15MM



BRAKE CHAMBER

TYPE: T20(DISC)
STROKE: 57
PORT THREAD: 2-M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD LENGTH: 15mm



DIAPHRAGM

TYPE: T36
T30
T24
T16
T12



BRAKE CHAMBER MIDDLE BODY

TYPE:



BRAKE CHAMBER

JUDA No.: JD03062
TYPE: T16
STROKE: 57
PORT THREAD: 3/8"NPT
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T19
STROKE: 45
PORT THREAD: 3/8"NPT
BOLT THREAD: M16x1.5
PUSH ROD THREAD: 1/2-20UNF
PUSH ROD LENGTH: Yourself



BRAKE CHAMBER

TYPE: T24(DISC)
STROKE: 57
PORT THREAD: 2-M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD LENGTH: 15MM



BRAKE CHAMBER

TYPE: T16(DISC)
STROKE: 57
PORT THREAD: 2-M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD LENGTH: 15mm



BRAKE CHAMBER COVER

TYPE: T30/30DD



BRAKE CHAMBER SPRING

A:
TYPE: T30/30DD, T24/24DD
B:
TYPE: T30/30DP, T24/24DP



SPRING BRAKE CHAMBER

TYPE: T24/300P(DISC)
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T20/240P(DISC)
STROKE: 57/57
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T24/300CP(DISC)
STROKE: 64/64
PORT THREAD: M22x1.5 VOSS
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T20/240CP(DISC)
STROKE: 57/57
PORT THREAD: M22x1.5 VOSS
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T24/240P(KAMAZ)
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



SPRING BRAKE CHAMBER

TYPE: T30/300D
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: 125mm



SPRING BRAKE CHAMBER

TYPE: T24/240CP(DISC)
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T16/240P(DISC)
STROKE: 57/57
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T24/240CP(DISC)
STROKE: 64/64
PORT THREAD: M22x1.5 VOSS
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T16/240CP(DISC)
STROKE: 57/57
PORT THREAD: M22x1.5 VOSS
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T20/200P(KAMAZ)
STROKE: 57/57
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



SPRING BRAKE CHAMBER

TYPE: T24/240D
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: 125mm



SPRING BRAKE CHAMBER

TYPE: T24/200D
STROKE: 64/64
PORT THREAD: M16x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: 125mm



SPRING BRAKE CHAMBER

TYPE: T30/240P
STROKE: 64
PORT THREAD: M16x1.5
BOLT THREAD: 4-M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: Yourself



SPRING BRAKE CHAMBER

TYPE: T9-6200
STROKE: 50
PORT THREAD: M16x1.5
PUSH ROD THREAD: 1 3/4"-12UNF



SPRING BRAKE CHAMBER

TYPE: T16-6200
STROKE: 50
PORT THREAD: M16x1.5
PUSH ROD THREAD: 1 3/4"-12UNF



SPRING BRAKE CHAMBER

TYPE: T24/240P
STROKE: 53/53
PORT THREAD: M16/M22x1.5
PUSH ROD THREAD: 1 3/4"-12UNF/M48x2



SPRING BRAKE CHAMBER

TYPE: T24/240P
STROKE: 57/57
PORT THREAD: M22x1.5 VOSS
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T12/300D
STROKE: 57/57
PORT THREAD: M16x1.5
BOLT THREAD:
BOLT CENTRE: 120.7
PUSH ROD THREAD: 1 3/4"-12UNS



SPRING BRAKE CHAMBER

TYPE: T12-6200
STROKE: 50
PORT THREAD: M16x1.5
PUSH ROD THREAD: 1 3/4"-12UNF



SPRING BRAKE CHAMBER

TYPE: T24/240D
STROKE: 75/75
PORT THREAD: M22x1.5 VOSS
BOLT THREAD: M16x1.5
PUSH ROD THREAD: Φ 16
PUSH ROD LENGTH: 15mm



SPRING BRAKE CHAMBER

TYPE: T24/240P
STROKE: 64/64
PORT THREAD: M16/M22x1.5
PUSH ROD THREAD: 1 3/4"-12UNF/M48x2




SPRING BRAKE CHAMBER

TYPE: T16/240P
STROKE: 53/53
PORT THREAD: M16/M22x1.5
PUSH ROD THREAD: 1 3/4"-12UNF/M48x2



SPRING BRAKE CHAMBER

TYPE: T24/240P
STROKE: 64
PORT THREAD: M16/M14x1.5
BOLT THREAD: M16x1.5
PUSH ROD THREAD: M16x1.5
PUSH ROD LENGTH: 125mm



Technical drawing of a mechanical part, likely a bracket or support, showing dimensions D, C, L, and M.



REF No.: 461 315 008 0
PRED.: 0.3 BAR
PORT 11,12,21,22: M16x1.5
APPLICATION: BENZ,SCANIA,DAF,IVECO,MAN



REF No.: 461 319 008 0
 PRED.: 0.4 BAR
 PORT 11,12,21,22: M16x1.5
 PORT 4: M12x1.5
 APPLICATION: BENZ.DAF



REF No.: 461 315 258 0
 PRED.: 0.4 BAR
 PORT 11,12,21,22: M22x1.5VOSS
 APPLICATION: BENZ.DAF



REF No.: 461 319 271 0
 PRED.: 0.4 BAR
 PORT 11,12,21,22: M22x1.5VOSS
 PORT 4: M16x1.5VOSS
 APPLICATION: BENZ.DAF



REF No.: MB4815
 PRED.: 0.3 BAR
 PORT 11,12,21,22: M22x1.5VOSS
 PORT 4: M16x1.5 VOSS
 APPLICATION: MAN



REF No.: MB4694
 PRED.: 0.3 BAR
 IR INLET 11,12: M22x1.5
 AIR DELIVERY 21,22: M22x1.5
 APPLICATION: DAF



REF No.: 461 491 102 0
 PRED.: 0.25 BAR
 PORT 11,12,21,22: M22x1.5
 APPLICATION: BENZ.DAF.IVECO



REF No.: 461 307 200 0
 PRED.: 0.25 BAR FIXED
 PORT 11,12,21,22: M22x1.5
 APPLICATION: BENZ.DAF.VOLVO.MAN



REF No.: 286171
SUPPLY PORTS: 4-NPT3/8
DELIVERY PORTS: 4-NPT3/8
APPLICATION: AMERICAN TRUCK



REF No.: 277863
SUPPLY PORTS(2) NPT1/2
AUX. SUPPLY PORTS(2) NPT1/4
DELIVERY PORTS (4) NPT1/2
APPLICATION: AMERICAN TRUCK



REF No.: 461 315 180 0
PORT 11,12,21,22: $\Phi 12$
APPLICATION: DAF,SCANIA



REF No.: MB4690
PORT 11,12,21,22: 8-M16x1.5
PORT 11,12,21: 3-M12x1.5
APPLICATION: VOLVO



FOOT BRAKE VALVE

REF No.: 461 317 008 0
 PRED.: 0.3 BAR
 PORT 11,12,21,22: M22x15
 OTHER PORTS= M12x15
 APPLICATION: GOLDHOFFER



FOOT BRAKE VALVE

REF No.: MC838211
 SUPPLY PORTS: 4-NPT3/8
 DELIVERY PORTS: 4-NPT3/8
 APPLICATION:



FOOT BRAKE VALVE

REF No.: DX75BAY
 PORT 11,12,21,22: M16x15
 APPLICATION: IVECO



FOOT BRAKE VALVE

REF No.: 461 494 502 0
 PRED.: 12.5 BAR
 PORT 11,12,21,22: Ø12mm
 APPLICATION: RVI,DAF



FOOT BRAKE VALVE

REF No.: 286773
 SUP= 4-1/4" NPT + 2-1/2" NPT + 1/8" NPT;
 DEL= 4-1/4" NPT + 2-1/2" NPT
 APPLICATION: CHRYSLER INTERNATIONAL



FOOT BRAKE VALVE

REF No.: 461 307 439 0
 PORT 11,12,21,22: M16x15
 APPLICATION: MERCEDES,DAF,IVECO



E7 FOOT BRAKE VALVE

REF No.: 461 315 264 0
 Port 11,12: M22x1.5VOSS
 Port 21,22: M22x1.5VOSS
 APPLICATION: DAF,MERCEDES



FOOT BRAKE VALVE

REF No.: 461 319 274 0
 Port 4: M16x1.5VOSS
 Port 11,12,21,22: M22x1.5VOSS
 APPLICATION: DAF, MERCEDES



FOOT BRAKE VALVE

REF No.: 461 315 248 0
 Port 11,12: M22x1.5VOSS
 Port 21,22: M22x1.5VOSS
 APPLICATION: MERCEDES



FOOT BRAKE VALVE

REF No.: 461 319 270 0
 Port 4: M16x1.5 VOSS
 Port 11,12,21,22: M22x1.5VOSS
 APPLICATION: DAF, MERCEDES



FOOT BRAKE VALVE

REF No.: 461 315 156 0
 Port 11,12: M12x1.5
 Port 11,12,21,22: M16x1.5
 APPLICATION: RENAULT



AIR DRYER CARTRIDGE

REF No.: 432 410 020 2
 SPECIFICATION: M39x1.5
 APPLICATION: MERCEDES,VOLVO,IVECO,DAF



AIR DRYER CARTRIDGE

REF No.: 432 410 226 2
 SPECIFICATION: G 1-1/4
 APPLICATION: SCANIA



AIR DRYER SEAT

REF No.: 432 410 600 2
 CUT-OFF PRESSURE: 8.1 BAR
 HEAT: 24V
 PORT 1,21: M22x1.5, PORT 22: M12x1.5
 APPLICATION: BENZ,SCANIA,VOLVO,IVECO



AIR DRYER

REF No.: 432 410 102 0
 CUT-OFF PRESSURE: 8.1 BAR
 HEAT: 24V
 PORT 1,21: M22x1.5, PORT 22: M12x1.5
 APPLICATION: DAF,MAN,IVECO



AIR DRYER

REF No.: 932 400 002 0
 CUT-OFF PRESSURE: 12.0BAR
 PORT 1,21: M22x1.5
 PORT 22: M12x1.5
 APPLICATION: MERCEDES,DAF



AIR DRYER

REF No.: 432 413 001 0
 HEAT: 12V
 PORT 1,2: NPT1/2, PORT 4: NPT1/4
 APPLICATION: VOLVO



AIR DRYER

REF No.:
 APPLICATION: DONG FENG



AIR DRYER

REF No.: 932 500 035 0
 HEAT: 24V
 PORT 1: M22x15
 PORT 21,22,23,24: M16x15
 APPLICATION: FOTON



AIR DRYER

REF No.: 932 500 003 0
 CUT-OFF PRESSURE: 10.0BAR
 PORT 21,22,23,24,25,26: M22x1.5
 COMMENT: WITH SILENCER
 APPLICATION: MERCEDES



AIR DRYER

REF No.: 932 500 007 0
 PORT 12: M12x1.5
 PORT 24: M22x1.5VOSS
 APPLICATION: MERCEDES,DAF



AIR DRYER

REF No.: 432 425 101 0
 DC: 24V
 PORT 1,2: M22x1.5
 PORT 4,23: M12x1.5
 APPLICATION: DAF



AIR DRYER

REF No.: ZB4587
 PORT 1,12,24: M22x1.5
 PORT 21,23,35: M16x1.5
 PORT 26: M22x1.5
 APPLICATION: IVECO



AIR DRYER

REF No.: 932 510 004 0
APPLICATION: SCANIA



AIR DRYER

JUDA No.: JD05014
REF No.: 065224
COMMENTS:
HEAT: 24V



AIR DRYER

REF No.: 065225
COMMENTS:
HEAT: 12V



AIR DRYER

REF No.: ZB4424
PRESSURE: 20.0BAR
PORT 21,22,23,24: M16x1.5
APPLICATION: FORD



AIR DRYER

REF No.: LA8125
PRESSURE: 10.5BAR
PORT 1,12,24: M22x1.5
PORT 21: M16x1.5
APPLICATION: IVECO



AIR DRYER

REF No.: LA8130
PRESSURE: 20.0BAR
PORT 12,24: M22x1.5;
PORT 23: M16x1.5
APPLICATION: DAF



AIR DRYER

REF No.: ZB4578
PRESSURE: 10.5BAR
PORT 1,12,24: M22x1.5
PORT 21 + 23: M16x1.5
APPLICATION: DAF



AIR DRYER

REF No.: LA8210
PRESSURE: 20.0BAR
PORT 1,21: M22x1.5
PORT 22: M12x1.5
APPLICATION: MAN,ERF



AIR DRYER

REF No.: ZB4805
PRESSURE: 10.5BAR
PORT 1,12,23: M22x1.5
PORT 22: M16x1.5, PORT 12: M12x1.5
APPLICATION: BENZ



REALY VALVE

REF No.: 973 001 010 0
PORT 1,2,4: M22x1.5
APPLICATION: DAF,MERCEDES,MAN,IVECO,
VOLVO,RENAULT,NEOPLAN



REALY VALVE

REF No.: 973 001 020 0
PORT 1: M22x1.5;
PORT 2,4: M16x1.5
APPLICATION: DAF,MERCEDES,MAN,IVECO,
VOLVO,RENAULT,NEOPLAN



REALY VALVE

REF No.: 473 017 007 0
PORT 1,2: M22x1.5
PORT 41,42: M22x1.5
APPLICATION: MERCEDES



REALY VALVE

REF No.: 973 011 000 0
PORT 1,2: M22x1.5;
PORT 4: M16x1.5
APPLICATION: DAF,MERCEDES,MAN,IVECO,
VOLVO,RENAULT,NEOPLAN,SCANIA



REALY VALVE

REF No.: 973 011 001 0
PORT 1,2: M22x1.5VOSS;
PORT 4: M16x1.5VOSS
APPLICATION: MERCEDES,MAN



REALY VALVE

REF No.: 973 011 002 0
PORT 1,2: M22x1.5;
PORT 4: M16x1.5
APPLICATION: DAF,SCANIA



REALY VALVE

REF No.: 973 011 004 0
PORT 1,2: M22x1.5;
PORT 4: M16x1.5VOSS
WITH SILENCER
APPLICATION: DAF,MERCEDES,MAN,
VOLVO,RENAULT



REALY VALVE

REF No.: 973 011 200 0
PORT 1,2: M22x1.5VOSS;
PORT 41,42: M16x1.5VOSS
APPLICATION: DAF,MERCEDES,MAN,
IVECO,RENAULT



REALY VALVE

REF No.: 973 011 203 0
PORT 1,2: M22x1.5;
PORT 41,42: M16x1.5
APPLICATION: IVECO



REALY VALVE

REF No.: 973 011 205 0
PORT 1,2: M22x1.5 VOSS;
PORT 41,42: M16x1.5 VOSS
WITH SILENCER
APPLICATION: DAF,MERCEDES,IVECO,RENAULT



REALY VALVE

REF No.: 973 011 050 0
PORT 1: M22x1.5; 4: M16x1.5
PORT 4,21,22: M16x1.5
APPLICATION: DAF,SCANIA



REALY VALVE

REF No.: 973 011 201 0
PORT 1: M22x1.5;
PORT 21,22,41,42: M16x1.5
APPLICATION: DAF,MAN



REALY VALVE

REF No.: 973 011 206 0
PORT 1,2: M22x1.5VSS;
PORT 22,41,42: M16x1.5VSS
WITH SILENCER
APPLICATION: DAF, MERCEDES, MAN,
IVECO, RVI



REALY VALVE

REF No.: 973 006 000 0
PORT 1: M22x1.5;
PORT 2,4: M16x1.5
APPLICATION: DAF, MERCEDES, MAN



REALY VALVE

REF No.: 973 006 003 0
PORT 1,2: M22x1.5VSS;
PORT 4: M16x1.5
WITH SILENCER
APPLICATION: DAF, MERCEDES, MAN



REALY EMERGENCY VALVE

REF No.: 971 002 152 0
PORT 1,4: M16x1.5;
PORT 1-2: M22x1.5
PORT 2: 2-M22x1.5 + 4-M16x1.5
APPLICATION: DAF, NEOPLAN, MAN



REALY EMERGENCY VALVE

REF No.: 971 002 530 0
PORT 1,1-2: M22x1.5
PORT 2,4: M22x1.5
APPLICATION: DAF



REALY EMERGENCY VALVE

REF No.: 971 002 570 0
PORT 1,1-2: M22x1.5
PORT 2,4: M22x1.5
APPLICATION: DAF, NEOPLAN



REALY VALVE

REF No.: 973 011 208 0
PORT 1,2: M22x1.5VSS;
PORT 22,41,42: M16x1.5VSS
WITH SILENCER
APPLICATION: IVECO



REALY VALVE

REF No.: 973 006 000 0
PORT 1,2: M22x1.5;
PORT 4: M16x1.5
APPLICATION: DAF, MERCEDES, MAN



REALY EMERGENCY VALVE

REF No.: 971 002 151 0
PORT 1,4: M16x1.5;
PORT 1-2: M22x1.5
PORT 2: 2-M22x1.5 + 4-M16x1.5
APPLICATION: DAF, RVI



REALY EMERGENCY VALVE

REF No.: 971 002 150 0
PORT 1,1-2: M22x1.5
PORT 2,4: M22x1.5
APPLICATION: VOLVO, MERCEDES, MAN, DAF,
RENAULT, SCANIA, NEOPLAN



REALY EMERGENCY VALVE

REF No.: 971 002 531 0
PORT 1: M16x1.5;
PORT 1-2,2,4: M22x1.5
APPLICATION: DAF, MERCEDES, MAN, IVECO,
SCANIA, NEOPLAN, EVOBUS



REALY EMERGENCY VALVE

REF No.: 971 002 304 0
PORT 1,1-2: M22x1.5;
PORT 4: M22x1.5
APPLICATION: DAF, RVI



REALY EMERGENCY VALVE

REF No.: 971 002 300 0
PORT 1,1-2: M22x1.5;
PORT 4: M16x1.5
APPLICATION: DAF, RENAULT



RG-2 REALY VALVE

JUDA No.: J006027
REF No.: KN28500
SUP 1: 3/8" NPT, SUP 2: 3/8" NPT;
DEL: 3/8" NPT, COUT: 1/4" NPT
APPLICATION: TRAILER



REALY EMERGENCY VALVE

REF No.: KN30100
DEL: 1/4" NPT, RES: 3/4" NPT
SER: 1/4" NPT, EME: 1/4" NPT
APPLICATION: TRAILER



RE-6 REALY EMERGENCY VALVE

REF No.: 281860
SUP: 3/4" NPT;
RES: 3/8" NPT
DEL: 1/4" NPT
APPLICATION: TRAILER



R-6 REALY EMERGENCY VALVE

REF No.: 279180
SUP: 3/8" NPT;
DEL: 3/8" NPT;
CON: 1/4" NPT
APPLICATION: TRAILER



REALY EMERGENCY VALVE

JUDA No.: J006035
REF No.: 110205
SUP: 3/4" NPT, DEL: 4-3/8" NPT;
EME: 2-3/8" NPT, SER: 3/8" NPT
APPLICATION: TRAILER



REALY EMERGENCY VALVE

REF No.: 971 002 700 0
PORT 1-1,1-2: M22x1.5;
PORT 4: M16x1.5
APPLICATION: DAF, RVI



RG-2 REALY VALVE

REF No.: KN28510
SUP 1: 1/2" NPT, SUP 2: 3/8" NPT
DEL: 3/8" NPT, COUT: 1/4" NPT
APPLICATION: TRAILER



REALY EMERGENCY VALVE

REF No.: KN30200
DEL: 3/8" NPT, RES: 3/4" NPT
SER: 3/8" NPT, EME: 3/8" NPT
APPLICATION: TRAILER



RE-6 REALY EMERGENCY VALVE

REF No.: 281865
SUP: 3/4" NPT;
RES: 3/8" NPT
DEL: 1/4" NPT + 3/8" NPT
APPLICATION: TRAILER



R-6 REALY EMERGENCY VALVE

REF No.: 280375
SUP: 1/2" NPT;
DEL: 3/8" NPT;
CON: 1/4" NPT
APPLICATION: TRAILER



REALY EMERGENCY VALVE

REF No.: 110200
SUP: 3/4" NPT, DEL: 4-3/8" NPT;
EME: 2-1/4" NPT, SER: 1/4" NPT
APPLICATION: TRAILER



REALY EMERGENCY VALVE

REF No.: KN28600
SUP+SPR: 3/4"NPT;
DEL: 3/8"NPT;
CON: 1/4"NPT
APPLICATION: TRAILER



R-14 REALY VALVE

REF No.: 103028
SUP: 1/2"NPT, DEL: 1/2"NPT;
CON: 1/4"NPT, BAL: 1/8"NPT
APPLICATION: TRAILER



R-12 REALY VALVE

REF No.: 102626
SUP: 1/2"NPT;
DEL: 1/2"NPT;
CON: 1/4"NPT
APPLICATION: TRAILER



R-14H REALY VALVE

REF No.: 103010
SUP: 3/4"NPT, DEL: 1/2"NPT;
CON: 1/4"NPT, BAL: 1/8"NPT
APPLICATION: TRAILER



R-12H REALY VALVE

REF No.: 103009
SUP: 3/4"NPT;
DEL: 1/2"NPT;
CON: 1/4"NPT
APPLICATION: TRAILER



ABS MODULATOR VALVE

REF No.: 472 195 031 0
PORT 1,2: M22x1.5
PORT 4: M16x1.5
APPLICATION: RVI,KOGLER,KRONE



ABS MODULATOR VALVE

REF No.: 950 364 047
PORT 1: M22x1.5
PORT 2,4: M16x1.5
VOL: 24V
APPLICATION: VAN HOOB



ABS MODULATOR VALVE

REF No.: 472 195 016 0
PORT 1,2: M22x1.5VOSS
24V DC
APPLICATION: DAF,BENZ,MAN,RVI



ABS MODULATOR VALVE

REF No.: 472 195 018 0
PORT 1,2: M22x1.5
24V DC
APPLICATION: IVECO,SCANIA,DAF



ABS MODULATOR VALVE

REF No.: 472 195 009 0
PORT 1,2: M22x1.5
24V DC
APPLICATION: MAN,IVECO



ABS MODULATOR VALVE

REF No.: 472 195 011 0
PORT 1,2: M22x1.5 VOSS
24V DC
APPLICATION: DAF



ABS MODULATOR VALVE

REF No.: 472 195 015 0
PORT 1,2: M22x1.5
24V DC M27x1
APPLICATION: RENAULT



ABS MODULATOR VALVE

REF No.: 400 500 081 0
PORT 1: M26x15
OTHER PORTS: G-M16x15
VOL: 24V
APPLICATION: DAF,KRONE



ABS MODULATOR VALVE

REF No.: 472 195 031 0
PORT 1,2: M22x1.5,
PORT 4: M16x1.5
24V DC
APPLICATION: DAF,RVI



ABS MODULATOR VALVE

REF No.: 480 202 004 0
PORT 1,2: M22x1.5;
PORT 4: M16x1.5
APPLICATION: IVECO,MERCEDES



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08001
REF No.: AE4158
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: RVI,IVECO,NEOPLAN



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08002
REF No.: AE4162
PORT 1: M22x1.5
PORT 11,12,21,22,23,24: M16x1.5
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: MAN



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08013
REF No.: 934 700 040 0
PORT 1: M22x1.5
PORT 11,22,23: M16x1.5
Open Press 21,22:6.0BAR
APPLICATION: DAF,MERCEDES,MAN,RVI



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08014
REF No.: 934 701 040 0
PORT 1: M22x1.5 VOSS
PORT 21,22,23: M16x1.5
Open Press 21,22:6.9BAR,23:7.0BAR
APPLICATION: KAMAZ



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08003
REF No.: AE4404
PORT 1: M22x1.5
PORT 21,22,23,24: M22x1.5
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: BENZ



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08004
REF No.: AE4440
PORT 1: M22x1.5
PORT 21,22,23,24: Ø9mm
OPEN PRESS: 21,22,23: 7.0BAR 24:6.5BAR
APPLICATION: RVI



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08015
REF No.: AE4609
PORT 1: M22x1.5 VOSS
PORT 21,22,23,24: M22x1.5 VOSS
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: MAN



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08016
REF No.: AE4613
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: BENZ,EVOBUS



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08005
REF No.: 934 714 010 0
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
OPEN PRESS 21,22,23,24: 5.9BAR
APPLICATION: MAN,DAF,IVECO



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08006
REF No.: 934 702 250 0
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: BENZ,DAF,IVECO



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08017
REF No.: AE4604
PORT 1: M22x1.5
PORT 11,12,21,22,23,24: M16x1.5
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: VOLVO



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08018
REF No.: AE4605
PORT 1: M22x1.5
PORT 21,22,23,24: Ø9mm
OPEN PRESS:21,22,24:7.0BAR 23:7.3BAR
APPLICATION: RVI,IVECO



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08007
REF No.: 934 702 260 0
PORT 1: M22x1.5 VOSS;
PORT 21,22,23,24: M16x1.5 VOSS
Open Press 21,22,23,24: 7.0BAR
APPLICATION: DAF,MERCEDES



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08008
REF No.: 934 714 403 0
PORT 1: M22x1.5 VOSS
PORT 21,22,23,24: M16x1.5 VOSS
Open Press 21,22,24:6.9BAR 23:7.0BAR
APPLICATION: MAN,MERCEDES



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08019
REF No.: 934 714 740 0
PORT 1: M22x1.5
PORT 11,12,21,22,23,24: M16x1.5
OPEN PRESS:21,22:6.3BAR 23,24: 5.8BAR
APPLICATION: VOLVO



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08020
REF No.: AE4608
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
OPEN PRESS:21,22:7.5BAR 23,24:8.0BAR
APPLICATION: IVECO



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08009
REF No.: 934 702 210 0
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
OPEN PRESS 21,22,23,24: 7.0BAR
APPLICATION: MAN,DAF,IVECO



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08010
REF No.: 934 714 152 0
PORT 1: Ø20.5
PORT 21,22,23,24: NPT3/8
OPEN PRESS: 21,22,24: 6.0BAR 23:7.0BAR
APPLICATION: HMC



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08021
REF No.: AE4800
PORT 1,21-26: M22x1.5 VOSS
PORT 27,28: M12x1.5
OPEN PRESS:21,22:9.0BAR 23,24:7.5BAR
APPLICATION: BENZ



MULTI-CIRCUIT PROTECTION VALVE

JUDA No.: JD08022
REF No.: AE4528
PORT 1: M16x1.5
PORT 21-26: M22x1.5 VOSS
OPEN PRESS:21,22,24: 7.0-7.3BAR
23: 7.2-7.5BAR
APPLICATION: BENZ



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08011
REF No.: KZ3515201-018
APPLICATION: TIAN LONG



4 CIRCUIT PROTECTION VALVE

JUDA No.: JD08012
REF No.: 934 702 322 0
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
OPEN PRESS: 21,22,24: 6.9BAR,23: 7.0BAR
APPLICATION: MAN,DAF



MULTI-CIRCUIT PROTECTION VALVE

JUDA No.: JD08023
REF No.: 934 705 002 0
PORT 1: FLANGE
PORT 21,22: M22x1.5 VOSS
PORT 23,24: M22x1.5 VOSS
PORT 25,26: M22x1.5 VOSS
APPLICATION: BENZ



MULTI-CIRCUIT PROTECTION VALVE

JUDA No.: JD08024
REF No.: 934 705 005 0
PORT 1: FLANGE
PORT 21-26: M22x1.5 VOSS
PORT 27,28: M12x1.5
COMMENT: WITH SENSOR
APPLICATION: BENZ,DAF,MAN,KOGL



UNLOADER VALVE

REF No.: 975 300 110 0
CUT OUT: 8.1BAR
PORT 1,21: M22x1.5
APPLICATION: MERCEDES,IVECO



UNLOADER VALVE

REF No.:
CUT OUT: 8.1BAR
PORT 1,21: M22x1.5,PORT 4,23: M22x1.5
PORT 1-2: M16x1.5
APPLICATION: DONG FENG



UNLOADER VALVE

REF No.: 975 303 464 0
CUT OUT: 8.1BAR
PORT 1,21: M22x1.5
APPLICATION: MERCEDES,IVECO



UNLOADER VALVE

REF No.: 100-3512010
COMMENTS:
PORT 1,2: M22x1.5
APPLICATION: KAMAZ



D2 GOVERNOR VALVE

REF No.: MC808718
CUT-OUT PRESSURE: 8.2BAR
RES: 1/8"NPT
UHL: 1/4"NPT
APPLICATION: NISSAN



UNLOADER VALVE

REF No.: 975 300 014 0
CUT OUT: 8.1BAR
PORT 1,21: M22x1.5
APPLICATION: MERCEDES,DAF



UNLOADER VALVE

REF No.: 975 303 473 0
CUT OUT: 8.1BAR
PORT 1,21: M22x1.5
PORT 22: M12x1.5
APPLICATION: MERCEDES,IVECO



UNLOADER VALVE

REF No.: 975 303 474 0
CUT OUT: 8.1BAR
PORT 1,21: M22x1.5
PORT 4,23: M12x1.5
APPLICATION: MERCEDES,DAF



UNLOADER VALVE

REF No.: 44530-1330
COMMENTS:
CUT-OUT PRESSURE: 7.8-8.8BAR
PORTS : R1/4
APPLICATION: HINO



D2 GOVERNOR VALVE

REF No.: 275491
CUT-OUT PRESSURE: 8.3BAR
PORTS: 1/8"NPT
APPLICATION: SCANIA,VOLVO



PRESSURE LIMITING VALVE

REF No.: 475 010 400 0
PORT 11,12: M22x1.5VOSS
PORT 22,23: M22x1.5VOSS
APPLICATION: MERCEDES,DAF



PRESSURE LIMITING VALVE

REF No.: 434 100 124 0
PORT 1,21: M22x1.5
APPLICATION: MERCEDES,DAF,RVI,IVECO,
VOLVO,MAN



PRESSURE LIMITING VALVE

REF No.: 475 015 001 0
PORT 1,2: M16x1.5
Delivery Pressure: 7.4+0.2bar
APPLICATION: MERCEDES,MAN,DAF



PRESSURE LIMITING VALVE

REF No.: 048 100 901 7
PORT 1,2: M16x1.5
MERCEDES,MAN,DAF,SCANIA



PRESSURE LIMITING VALVE

REF No.: AC156A
PORT 1: M22x1.5
PORT 21,22,23,24: M16x1.5
Open press: 21,22,23,24: 7.0bar
APPLICATION: SCANIA,IVECO,RVI,VOLVO



PRESSURE LIMITING VALVE

REF No.: 475 010 300 0
PORT 1,2: M22x1.5
APPLICATION: MAN,DAF



PRESSURE LIMITING VALVE

REF No.: A4740
SUP: 3/8"NPT
DEL: 1/8"NPT
APPLICATION: TRAILER



PRESSURE LIMITING VALVE

REF No.: 475 015 061 0
PORT 1,2: M16x1.5
Delivery Pressure: 7.4+0.3bar
APPLICATION: IVECO,DAFRENALT



PRESSURE LIMITING VALVE

REF No.: 048 100 902 6
PORT 1,2: M22x1.5
VOLVO



PRESSURE LIMITING VALVE

REF No.: AC157C
PORT 1,2: M16x1.5
Delivery Pressure: 8.0bar
APPLICATION: RVI,IVECO



HAND BRAKE VALVE

REF No.: 961 722 151 0
PORT 1,2: M14x1.5
APPLICATION: DAF, MERCEDES, IVECO



HAND BRAKE VALVE

REF No.: 961 722 152 0
PORT 1,2: M14x1.5
APPLICATION: IVECO



HAND BRAKE VALVE

REF No.: 961 722 156 0
PORT 1,2: M14x1.5
APPLICATION: DAF, IVECO



HAND BRAKE VALVE

REF No.: 961 722 168 0
PORT 1,2: M14x1.5
APPLICATION: SCANIA, IVECO, DAF, MAN, MERCEDES



HAND BRAKE VALVE

REF No.: 961 722 160 0
PORT 1,2: M14x1.5
APPLICATION: DAF



HAND BRAKE VALVE

REF No.: 961 722 150 0
PORT 1,2: M14x1.5
APPLICATION: MERCEDES, DAF, SCANIA, IVECO



HAND BRAKE VALVE

REF No.: 961 722 264 0
PORT 11,21,22: M14x1.5
APPLICATION: MERCEDES



HAND BRAKE VALVE

REF No.: 961 722 252 0
PORT 11,21,22: M14x1.5
APPLICATION: DAF, MERCEDES, IVECO



HAND BRAKE VALVE

REF No.: 961 722 258 0
PORT 11,21,22: M14x1.5
APPLICATION: IVECO, MAN



HAND BRAKE VALVE

REF No.: 961 722 269 0
PORT 11,21,22: M14x1.5
APPLICATION: RENAULT



HAND BRAKE VALVE

REF No.: 961 722 232 0
PORTS: SLIDE LOCK
APPLICATION: DAF, MERCEDES



HAND BRAKE VALVE

REF No.: 961 722 212 0
PORTS: SLIDE LOCK
APPLICATION: DAF, MERCEDES



HAND BRAKE VALVE

REF No.: 961 722 266 0
PORT 11,21,22: M14x1.5
APPLICATION: DAF, MERCEDES, IVECO



HAND BRAKE VALVE

REF No.: 961 722 314 0
PORT 11,21,22: M14x1.5
APPLICATION: SCANIA, DAF



HAND BRAKE VALVE

REF No.: 961 722 324 0
PORT 1,21,22: M14x1.5
APPLICATION: VOLVO



HAND BRAKE VALVE

REF No.: HB1142
PORT 1,2: M14x1.5
APPLICATION: VOLVO



HAND BRAKE VALVE

REF No.: 961 723 004 0
PORT 1,2: M16x1.5VOSS
APPLICATION: DAF, VOLVO



HAND BRAKE VALVE

REF No.: 961 723 100 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION: DAF, MAN



HAND BRAKE VALVE

JUDA No.: JD12019
REF No.: 961 723 001 0
PORT 1,2: M16x1.5VOSS
APPLICATION: DAF, IVECO, MAN



HAND BRAKE VALVE

REF No.: 961 723 108 0
PORT 1,21,22: M16x1.5
APPLICATION: DAF



HAND BRAKE VALVE

JUDA No.: JD12021
REF No.: 961 723 021 0
PORT 1,2: M16x1.5
APPLICATION: SCANIA



HAND BRAKE VALVE

REF No.: 961 723 102 0
PORT 1,21,22: M16x1.5
APPLICATION: IVECO, VOLVO, DAF, MAN, MERCEDES, RVI



HAND BRAKE VALVE

JUDA No.: JD12023
REF No.: 961 723 005 0
PORT 1,21: M16x1.5VOSS
APPLICATION: DAF, MERCEDES, IVECO



HAND BRAKE VALVE

REF No.: 961 723 104 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION: DAF, MERCEDES



HAND BRAKE VALVE

REF No.: 961 723 019 0
PORT 1,21: M16x1.5VOSS
APPLICATION: DAF,MAN



HAND BRAKE VALVE

REF No.: 961 723 112 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION: DAF,MAN



HAND BRAKE VALVE

REF No.: DPM91A
PORT 1,21: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: DPM21A
PORT 1,3,12,21,22: M16x1.5VOSS
APPLICATION: IVECO,MERCEDES



HAND BRAKE VALVE

REF No.: 961 723 042 0
PORT 1,21: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: 961 723 130 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: DPM22A
PORT 1,3,21,22: M16x1.5 VOSS
APPLICATION: MERCEDES



HAND BRAKE VALVE

REF No.: DPM93V
PORT 1,21: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: 961 723 421 0
PORT 1,21: M16x1.5VOSS
APPLICATION: SCANIA,IVECO,
MAN,MERCEDES



HAND BRAKE VALVE

REF No.: 961 723 125 0
PORT 1,3,21,22: M16x1.5VOSS
APPLICATION: MERCEDES



HAND BRAKE VALVE

REF No.: DPM94AAX
PORT 1,21: M16x1.5
APPLICATION: DAF,MERCEDES,IVECO,VOLVO



HAND BRAKE VALVE

REF No.: DPM95AAX
PORT 1,21,22: M16x1.5
APPLICATION: DAF,RENAULT,IVECO



HAND BRAKE VALVE

REF No.: 961 723 212 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: 961 723 111 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: DPM28A
PORT 1,21: M16x1.5VOSS
APPLICATION: DAF,IVECO



HAND BRAKE VALVE

REF No.: DPM90DA
PORT 1,21,22: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: 961 723 215 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION: DAF,VOLVO



HAND BRAKE VALVE

REF No.: 961 723 143 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: DPM92A
PORT 1,21,22: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: DPM90CK
PORT 1,21,22: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: 961 723 107 0
PORT 1,21,22: M16x1.5VOSS
APPLICATION: DAF,MERCEDES



HAND BRAKE VALVE

REF No.: 961 723 217 0
PORT 1,21,22: M16x1.5
APPLICATION: SCANIA,DAF



HAND BRAKE VALVE

REF No.: DPM61A
PORT 1,21: M16x1.5VOSS
APPLICATION:



HAND BRAKE VALVE

REF No.: DPM66A
PORT 1,21,22: Ø10
APPLICATION: MERCEDES



HAND BRAKE VALVE

REF No.: 961 724 204 0
APPLICATION: VOLVO



HAND BRAKE VALVE

REF No.: 961 724 205 0
APPLICATION: VOLVO



HAND BRAKE VALVE

REF No.: 961 724 208 0
APPLICATION: SCANIA



HAND BRAKE VALVE

REF No.: 961 724 212 0
APPLICATION: SCANIA



HAND BRAKE VALVE

REF No.: 961 701 100 0
PORT 1,2,3: M14x1.5
APPLICATION: SCANIA,VOLVO,DAF,MAN,
MERCEDES,IVECO



HAND BRAKE VALVE

REF No.: 961 702 001 0
PORT 1,3,21,22: M14x1.5
APPLICATION: DAF,MERCEDES,MAN,
VOLVO,IVECO



HAND BRAKE VALVE

REF No.: 961 701 105 0
PORT 1,2,3: M14x1.5
APPLICATION: SCANIA,VOLVO,DAF,
IVECO,MERCEDES



HAND BRAKE VALVE

REF No.: 961 702 004 0
PORT 1,3,21,22: M14x1.5
APPLICATION: SCANIA,IVECO,DAF,MAN,
MERCEDES



TRAILER CONTROL VALVE

REF No.: 973 002 402 0
PORT 1,2: M16x1.5
PORT 41,42,43: M16x1.5
PREDOMINANCE: OBAR-FIXED
APPLICATION: SCANIA,IVECO



TRAILER CONTROL VALVE

REF No.: 973 002 007 0
PORT 1,2: M22x1.5
PORT 41,42,43: M22x1.5
PREDOMINANCE: 0. 6BAR
APPLICATION: IVECO



TRAILER CONTROL VALVE

REF No.: 973 002 520 0
PORT 11,12,22: M16x1.5
PORT 41,42,43: M16x1.5
PREDOMINANCE: OBAR-FIXED
APPLICATION: MERCEDES



TRAILER CONTROL VALVE

REF No.: 973 009 300 0
PORT 11,12,22,41,42: M22x1.5 VOSS
PORT 43: M16x1.5 VOSS
PREDOMINANCE: 0. 2BAR
APPLICATION: MAN,DAF,RVI,EVOBUS



TRAILER CONTROL VALVE

REF No.: 973 009 010 0
PORT 11,12,22: M16x1.5
PORT 41,42,43: M16x1.5
PREDOMINANCE: 0. 4BAR
APPLICATION: SCANIA



TRAILER CONTROL VALVE

REF No.: 973 009 001 0
PORT 11,12,22,41,42: M22x1.5 VOSS
PORT 43: M16x1.5 VOSS
PREDOMINANCE: 0. 2BAR
APPLICATION: MAN,KOGLER



TRAILER CONTROL VALVE

REF No.: 973 009 006 0
PORT 11,12,22: M22x1.5 VOSS
PORT 41,42: M22x1.5 VOSS
PORT 43: M16x1.5 VOSS
APPLICATION: HOWO



TRAILER CONTROL VALVE

REF No.: AC598C
PORT 11,21,22,42: M22x1.5
PORT 43: M16x1.5
APPLICATION: IVECO,DAF,RVI,SCANIA,LEYLAND



TRAILER CONTROL VALVE

REF No.: 480 204 002 0
PORT 11,12,22: M22x1.5 VOSS
PORT 41,42: M22x1.5 VOSS
PORT 43: M16x1.5 VOSS
APPLICATION: MERCEDES



LEVELING VALVE

REF No.: 464 007 001 0
PORT 1,2: $\Phi 6$ mm
APPLICATION: DAF,RENAULT,IVECO,MAN



LEVELING VALVE

REF No.: 464 007 007 0
PORT 1,2: $\Phi 6$ mm
APPLICATION: RENAULT,VOLVO



LEVELING VALVE

REF No.: 464 007 010 0
PORT 1,2: M10x1
APPLICATION: DAF,RENAULT,SCANIA



LEVELING VALVE

REF No.: 464 006 001 0
PORT 1,2,12,22: M12x1.5
APPLICATION: IVECO,RENAULT,MERCEDES



LEVELING VALVE

REF No.: 464 006 002 0
PORT 1,2,12,22: M12x1.5
APPLICATION: SCANIA,IVECO,MAN,EVOBUS



LEVELING VALVE

REF No.: 464 002 330 0
PORT 1,2,12,22: M12x1.5
APPLICATION: IVECO,VOLVO,DAF,MAN,
MERCEDES,RVI



LEVELING VALVE

REF No.: 464 007 008 0
PORT 1,2: M10x1
APPLICATION: DAF,RENAULT,VOLVO



LEVELING VALVE

REF No.: 464 007 008 0
PORT 1,2: $\Phi 6$ mm
APPLICATION: RENAULT



LEVELING VALVE

REF No.: 464 007 011 0
PORT 1,2: M10x1
APPLICATION: DAF,MERCEDES



LEVELING VALVE

REF No.: 464 006 000 0
PORT 1,3,2,12,22: M12x1.5
APPLICATION: DAF,VOLVO



LEVELING VALVE

REF No.: 464 006 100 0
PORT 1,2,12,22: M12x1.5
PORT 12,23: M16x1.5
APPLICATION: SCANIA,DAF,MAN,EVOBUS



LEVELING VALVE

REF No.: SV1280
PORT 4,11,21: M12x1.5;
PORT 12,23: M16x1.5
APPLICATION: DAF,MERCEDES,RENAULT



LEVELING VALVE

REF No.: SV1294
PORT 1,1,21: M12x1.5
APPLICATION: SCANIA,VOLVO,IVECO,MAN



LEVELING VALVE

REF No.: SV1310
PORT 1,1,21: M12x1.5
Lever Length: 160mm
APPLICATION: MERCEDES



LEVELING VALVE

REF No.: 90054007
PORT 1,2,3: 1/8" NPT
APPLICATION: SCANIA,DAF



LEVELING VALVE

REF No.: 050 000 500 6
PORT 1,2,3: M12x1.5
APPLICATION: IVECO,VOLVO,DAF



LEVELING VALVE

REF No.: 050 000 500 1
PORT 1,2,3: M12x1.5
APPLICATION: SCANIA,VOLVO,MERCEDES



LEVELING VALVE

REF No.: 050 000 501 6
PORT 1,2,3: M12x1.5
APPLICATION: MERCEDES



LEVELING VALVE

REF No.: SV1295
PORT 4,11,21: M12x1.5
APPLICATION: SCANIA,VOLVO,DAF,MAN



LEVELING VALVE

REF No.: SV1318
PORT 4,11,21: M12x1.5
APPLICATION: DAF,EVOBUS,IVECO,RVI



LEVELING VALVE

REF No.: KN27000
PORT 1,2,3: 1/4" NPT
APPLICATION: TRAILER



LEVELING VALVE

REF No.: 050 000 500 7
PORT 1,2,3: M12x1.5
APPLICATION: IVECO,VOLVO,DAF



LEVELING VALVE

REF No.: 050 000 500 2
PORT 1,2,3: M12x1.5
APPLICATION: SCANIA,VOLVO,MERCEDES



LEVELING VALVE

REF No.: 050 000 501 7
PORT 1,2,3: M12x1.5
APPLICATION: MERCEDES



LOAD SENSING VALVE

REF No.: 475 710 000 0
PORT 1,2,4: M16x1.5
PORT 3: SNAP
APPLICATION: RVI, MERCEDES, DAF, ERF



LOAD SENSING VALVE

REF No.: 475 710 000 0
PORT 1,2: M22x1.5VOSS;
PORT 4: M16x1.5VOSS;
APPLICATION: MERCEDES



LOAD SENSING VALVE

REF No.: 475 714 500 0
PORT 1: M22x1.5; PORT 2,43: M16x1.5
PORT 41,42: M12x1.5
APPLICATION: DAF, MERCEDES, IVECO, MAN, EVOBUS, NEOPLAN



LOAD SENSING VALVE

REF No.: 475 715 500 0
PORT 1,43: M16x1.5;
PORT 1-2,2,4: M22x1.5;
PORT 41,42: M12x1.5
APPLICATION: SCANIA, DAF, RVI



LOAD SENSING VALVE

REF No.: 475 711 075 0
PORT 1: M22x1.5
PORT 2,4: M16x1.5
PORT 41,42: M12x1.5
APPLICATION: RVI, VOLVO, DAF



LOAD SENSING VALVE

REF No.: 475 711 127 0
PORT 1,2: M22x1.5VOSS;
PORT 4,41,42: M16x1.5VOSS;
PORT 43: M16x1.5
APPLICATION: DAF, MERCEDES, MAN, RVI, VOLVO, IVECO



LOAD SENSING VALVE

REF No.: 475 712 004 0
PORT 1,2,4: M16x1.5
PORT 1-2,2: M22x1.5
APPLICATION: DAF



GEARBOX VALVE

REF No.: SV3367
PORT 1: M12x1.5
PORT 21: M14x1.5
PORT 22: M14x1.5
APPLICATION: BENZ



GEARBOX VALVE

REF No.: 500 185 971 8
PORT 1: M12x1.5
PORT 21: M14x1.5
PORT 22: M14x1.5
APPLICATION: AMERICAN TRAILER



GEARBOX VALVE

REF No.: 0022606157
PORT 1: $\Phi 9$
PORT 21: $\Phi 9$
PORT 22: $\Phi 9$
APPLICATION: BENZ



GEARBOX VALVE

REF No.: SV3371
PORT 1: M12x1.5
PORT 21: M12x1.5
PORT 22: M12x1.5
APPLICATION: BENZ



GEARBOX VALVE

REF No.: SV3302
PORT 1: M12x1.5
PORT 2: M12x1.5
APPLICATION: BENZ, DAF, MAN, IVECO, RENAULT



GEARBOX VALVE

REF No.: 81521706156
PORT:
APPLICATION: MAN



GEARBOX VALVE

REF No.: 1672231
PORT 1: $\Phi 10$
PORT 2: $\Phi 10$
APPLICATION: VOLVO



GEARBOX VALVE

REF No.: SV3360
PORT 1: M12x1.5
PORT 21: M12x1.5
PORT 22: M12x1.5
APPLICATION: BENZ, IVECO



GEARBOX VALVE

REF No.: A-5000
PORTS: ALL 1/8"NPT
APPLICATION: TRAILER



GEARBOX VALVE

REF No.: 1669277
PORT 1: M16x1.5
PORT 2: M10x1
APPLICATION: VOLVO



GEARBOX VALVE

REF No.: 1319557
PORT 1: 1/8"NPT
PORT 2: 1/8"NPT
APPLICATION: SCANIA



GEARBOX VALVE

REF No.: 1669297
PORT 1: 1/8"NPT
PORT 2: 1/8"NPT
APPLICATION: VOLVO



GEARBOX VALVE

REF No.: Wg2203250001
PORT 1: M16x1.5,
PORT 21,22: M14x1.5
APPLICATION: HOWO



GEARBOX VALVE

REF No.: 1653156
PORT 1,2: M10x1
APPLICATION: VOLVO



DIRECTION CONTROL VALVE

REF No.: 463 022 020 0
PORT 1: M10x1
PORT 2: M10x1
APPLICATION: DAF,VOLVO



DIRECTION CONTROL VALVE

REF No.: 463 063 003 0
PORT 1: M12x1.5
PORT 41: M10x1
APPLICATION: MAN,VOLVO



DIRECTION CONTROL VALVE

REF No.: 0012602057
PORT 1,2,4: 1/8"NPT
PORT 41: 1/8"NPT
APPLICATION: BENZ



DIRECTION CONTROL VALVE

REF No.: 5710031040
PORT 1: M10x1
PORT 2: M10x1
APPLICATION: BENZ



DIRECTION CONTROL VALVE

REF No.: 50000673571
PORT 1: M10x1
PORT 21: M10x1
PORT 22: M10x1
APPLICATION: RVI



DIRECTION CONTROL VALVE

REF No.: 050128630
PORT 1: M12x1.5
PORT 4: M10x1
PORT 21,22: 1/2
APPLICATION: IVECO,VOLVO,DAF,MAN



DIRECTION CONTROL VALVE

REF No.: 541L9101
PORT 1: M10x1
PORT 2: M10x1
PORT 4: M10x1
APPLICATION: RVI



2/3 DIRECTION CONTROL VALVE

REF No.: 463 038 000 0
PORT 1: M10x1
PORT 2: M10x1
APPLICATION: MAN,RVI,IVECO



DIRECTION CONTROL VALVE

REF No.: 5801279152
PORT 1,2: M10x1
APPLICATION:



DIRECTION CONTROL VALVE

REF No.: 463 036 005 0
PORT 1,2: M16x1.5
PORT 3: M10x1
APPLICATION: DAF,MERCEDES



PP-1 CONTROL VALVE

REF No.: 276566
SUP: 1/8"NPT
DEL: 1/8"NPT
EXH: 1/8"NPT
APPLICATION: TRAILER



TW-1 CONTROL VALVE

REF No.: 229635
SUP: 1/8"NPT,
DEL: 1/8"NPT
Installation: 2XW3/16-24
APPLICATION: TRAILER



BUTTON VALVE

REF No.: 463 013 112 0
PORT 1: M12x1.5
PORT 2: M12x1.5
PORT 3: M12x1.5
APPLICATION: IVECO,VOLVO,MAN,RVI



BUTTON VALVE

REF No.: 463 013 114 0
PORT 1: M12x1.5
PORT 2: M12x1.5
PORT 3: M12x1.5
APPLICATION: BENZ,DAF,VOLVO



BUTTON VALVE

REF No.: 463 013 112 0
PORT 1: M12x1.5
PORT 2: M12x1.5
PORT 3: M12x1.5
APPLICATION: IVECO,VOLVO,RVI,MAN



BUTTON VALVE

REF No.: 463 013 200 0
PORT 1,21: M16x1.SVOSS,
PORT 3: M12x1.5
APPLICATION: DAF,MERCEDES,MAN,SCANIA



QUICK RELEASE VALVE

REF No.: 973 500 000 0
SUPPLY PORT: M22x1.5
DELIVERY PORT: M22x1.5
APPLICATION: SCANIA, IVECO



QUICK RELEASE VALVE

REF No.: 973 500 006 0
SUPPLY PORT: M16x1.5
DELIVERY PORT: M16x1.5
APPLICATION: DAF, MAN, RVI, IVECO



QUICK RELEASE VALVE

REF No.: 973 500 003 0
SUPPLY PORT: 3/8"NPT
DELIVERY PORT: 3/8"NPT
APPLICATION: DAF, MERCEDES, MAN



QUICK RELEASE VALVE

REF No.: 973 500 028 0
PORT 1, 21, 22, 23: M22x1.5 VOSS
PORT 23: M16x1.5 VOSS
APPLICATION: DAF, MERCEDES, MAN, IVECO, RVI



QUICK RELEASE VALVE

REF No.: 229813
SUPPLY PORT: 3/8"NPT;
DELIVERY PORT: 2-1/4"NPT
APPLICATION: TRAILER



QUICK RELEASE VALVE

REF No.: 229859
SUPPLY PORT: 3/8"NPT;
DELIVERY PORT: 2-3/8"NPT
APPLICATION: TRAILER



QUICK RELEASE VALVE

REF No.: 229844
SUPPLY PORT: 1/2"NPT;
DELIVERY PORT: 2-1/4"NPT
APPLICATION: TRAILER



QUICK RELEASE VALVE

REF No.: 229860
SUPPLY PORT: 1/2"NPT;
DELIVERY PORT: 2-3/8"NPT
APPLICATION: TRAILER



QUICK RELEASE VALVE

REF No.: KN32010
SUPPLY PORT: 1/2"NPT
DELIVERY PORT: 3/8"NPT
APPLICATION: BENZ, SCANIA, VOLVO, IVECO



QUICK RELEASE VALVE

REF No.: 975 001 000 0
SUPPLY PORT: M22x1.5
DELIVERY PORT: M22x1.5
APPLICATION: IVECO



QUICK RELEASE VALVE

REF No.: 973 500 038 0
PORT 1, 3: M22x1.5,
PORT 21, 22, 23, 24: M16x1.5
APPLICATION: SCANIA, RENAULT, DAF,
RVI, MERCEDES



QUICK RELEASE VALVE

REF No.: 287914
SUPPLY PORT: 1/4"NPT
DELIVERY PORT: 3/8"NPT
APPLICATION: TRAILER



CUT OFF VALVE

REF No.: 475 604 011 0
PORT 1, 2: M22x1.5
Gear Moving: 4 SHIFT
APPLICATION: SCANIA, RENAULT, DAF,
MAN, EVOBUS



CUT OFF VALVE

REF No.: 475 604 013 0
PORT 1, 2: M22x1.5
Gear Moving: 3 SHIFT
APPLICATION: SCANIA, EVOBUS, DAF



CUT OFF VALVE

REF No.: 452 002 107 0
PORT 1, 2: M22x1.5
APPLICATION: SCANIA, VOLVO, IVECO



ROTARY SLIDE VALVE

REF No.: 463 032 020 0
PORT 1: M16x1.5,
PORT 21, 22, 23, 24: M12x1.5
APPLICATION: IVECO, RENAULT, DAF, MAN, EVOBUS



DOUBLE CHECK VALVE

REF No.: 434 208 000 0
PORT 2, 11, 12: M22x1.5
APPLICATION: MERCEDES, MAN, EVOBUS



DOUBLE CHECK VALVE

REF No.: 434 208 009 0
PORT 2, 11, 12: M16x1.5
APPLICATION: RVI, MERCEDES, VOLVO



SINGLE CHECK VALVE

REF No.: 314 001 001
PORT 1, 2: M22x1.5
APPLICATION: DAF, MERCEDES, IVECO



MANUAL DRAIN VALVE

JUDA No.: JD17020
REF No.: 934 300 003 0
PORT: M22x1.5
APPLICATION: SCANIA, IVECO



POWER SHIFT

REF No.: 422 010 010 0
PORT 41: M12x1.5
PORT 41: M14x1.5
APPLICATION: MAN



POWER SHIFT

REF No.: 422 010 014 0
PORT 41: M12x1.5
PORT 42: M12x1.5
APPLICATION: BENZ, DAF, ZF



GLAND HEAD

REF No.:
PORTS: M16x1.5/M22x1.5
Yellow/Red
APPLICATION: BENZ,SCANIA,VOLVO,IVECO



AIR HOSE

MATERIAL: PA
TUBE TYPE: DOUBLE LAYER
FITTING THREAD: Z1/2/M16/M22
Red/Yellow/Blue/Black



AIR HOSE

MATERIAL: PA/PU/PE
TUBE TYPE: SINGLE LAYER
FITTING THREAD: Z1/2/M16/M22
Red/Yellow/Blue/Black



AIR HOSE

MATERIAL: PA/PU/PE
TUBE TYPE: SINGLE LAYER
FITTING THREAD: Z1/2/M16/M22
Red/Yellow/Blue/Black



AIR HOSE

MATERIAL: PA/PU
TUBE TYPE: SINGLE LAYER
FITTING THREAD: M12
Red/Yellow/Blue/Black



NYLON TUBE

MATERIAL: PA/PU
TUBE TYPE: SINGLE LAYER
FITTING THREAD: Φ6/8/10/12/14
Red/Yellow/Blue/Black



ELECTRIC COUPLER

REF No.:
APPLICATION:



ELECTRIC COUPLER

REF No.:
APPLICATION:



7 ELECTRIC COIL

MATERIAL: PA/PU
PLUG: ALUMINUM 7 PIN
WORKING LENGTH: 5.5m



7 ELECTRIC COIL

MATERIAL: PA/PU
PLUG: ALUMINUM 7 PIN
WORKING LENGTH: 5.5m



7 ELECTRIC COIL

MATERIAL: PU
PLUG: PLASTIC 7 PIN
WORKING LENGTH: 4.5m



7 ELECTRIC COIL

MATERIAL: PU
PLUG: PLASTIC 7 PIN
WORKING LENGTH: 4.5m



QUICK COUPLING

REF No.:
PORTS: Φ4,5,6,8,10,12,14,16



QUICK COUPLING

REF No.:
PORTS: Φ4,5,6,8,10,12,14,16



QUICK COUPLING

REF No.:
PORTS: Φ4,5,6,8,10,12,14,16



QUICK COUPLING

REF No.:
PORTS: Φ4,5,6,8,10,12,14,16



QUICK COUPLING

REF No.:
PORTS: 1/2" NPT/M22x1.5



QUICK COUPLING

REF No.:
PORTS: M6/M8/M10/M12



QUICK COUPLING

REF No.:
PORTS: 1/2" NPT



QUICK COUPLING

REF No.:
PORTS: M22x1.5



QUICK COUPLING

REF No.:
PORTS: 1/2" NPT



QUICK COUPLING

REF No.:
PORTS: M22x1.5




QUICK COUPLING

REF No.:
PORTS: M20x1.5



7 UNIT SETS

REF No.:
PORTS: 1/2" NPT/M22x1.5



FITTING

REF No.:
PORTS: M12x1.5/M14x1.5/
M16x1.5/M18x1.5/
M22x1.5



FITTING

REF No.:
PORTS: M22x16/M22x18



FITTING

REF No.:
PORTS: M8x1/M10x1.5/
M12x1.5/M14x1.5/
M16x1.5/M18x1.5



FITTING

REF No.:
PORTS: M6/8x1-M16/22x1.5



FITTING

REF No.:
PORTS: M18x1.5-M16x1.5
M18x1.5-M22x1.5



FITTING

REF No.:
PORTS: M18x1.5-M16x1.5
M18x1.5-M22x1.5



FITTING

REF No.:
PORTS: M12x1.5/M14x1.5/
M16x1.5/M18x1.5/
M22x1.5



FITTING

REF No.:
PORTS: M12x1.5/M14x1.5/
M16x1.5/M18x1.5



FITTING

REF No.:
PORTS: M18x1.5-M16x1.5
M18x1.5-M22x1.5



FITTING

REF No.:
PORTS: 12x8/12x10/12x12
14x8/14x10/14x12



MANUAL SLACK ADJUSTER

REF No.: KN44041 (283411)
STYLE: 1 HOLE 37 TEETH
ARM LENGTH: 6"
SPLINE: 1 5/8"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: KN55001
STYLE: 1 HOLE 24 TEETH
ARM LENGTH: 5.5"
SPLINE: 1 1/4"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: KN48031 (28303)
STYLE: 2 HOLES 10 TEETH
ARM LENGTH: 6", 5"
SPLINE: 1 1/4"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: KN44051 (286965)
STYLE: 2 HOLES 28 TEETH
ARM LENGTH: 6", 5"
SPLINE: 1 1/2"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: KN44061 (288753)
STYLE: 2 HOLES 20 TEETH
ARM LENGTH: 6.5", 5.5"
SPLINE: 1 1/2"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: KN47001 (278323)
STYLE: 3 HOLES 10 TEETH
ARM LENGTH: 7", 6", 5"
SPLINE: 1 1/2"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: KN44071 (288282)
STYLE: 3 HOLES 20 TEETH
ARM LENGTH: 7", 6", 5"
SPLINE: 1 1/2"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: KN44042
STYLE: 3 HOLES 37 TEETH
ARM LENGTH: 7", 6", 5"
SPLINE: 1 5/8"
BUSHING: Φ12.7



MANUAL SLACK ADJUSTER

REF No.: 051 746 261 0
STYLE: 4 HOLES 10 TEETH
ARM LENGTH: 250, 180, 150, 120
BUSHING: Φ14
APPLICATION: BPW



MANUAL SLACK ADJUSTER

REF No.: 051 746 522 0
STYLE: 6 HOLES 10 TEETH
ARM LENGTH: 250, 180, 165, 150, 135, 120
BUSHING: Φ14
APPLICATION: BPW



MANUAL SLACK ADJUSTER

REF No.: 051 746 513 0
STYLE: 7 HOLES 10 TEETH
ARM LENGTH: 250, 195, 180, 165, 150,
135, 120
BUSHING: Φ14
APPLICATION: BPW



MANUAL SLACK ADJUSTER

REF No.: 345 420 743 8
STYLE: 1 HOLE 19 TEETH
ARM LENGTH: 138
BUSHING: Φ14
APPLICATION: BENZ



MANUAL SLACK ADJUSTER

REF No.: 346 420 173 8/346 420 183 8
STYLE: 1HOLE 26TEETH
ARM LENGTH: 145
BUSHING: Φ 14
APPLICATION: BENZ



MANUAL SLACK ADJUSTER

REF No.: 1448114/1448115
STYLE: 1HOLE 10TEETH
ARM LENGTH: 165
BUSHING: Φ 16
APPLICATION: SCANIA



MANUAL SLACK ADJUSTER

REF No.: 1448113
STYLE: 1HOLE 10TEETH
ARM LENGTH: 165
BUSHING: Φ 16
APPLICATION: SCANIA



MANUAL SLACK ADJUSTER

REF No.: 1448120/1448121
STYLE: 1HOLE 10TEETH
ARM LENGTH: 165
BUSHING: Φ 16
APPLICATION: SCANIA



MANUAL SLACK ADJUSTER

REF No.: 288540/288539
STYLE: 2HOLES 10TEETH
ARM LENGTH: 166.5, 141.6
BUSHING: Φ 12.7
APPLICATION: VOLVO



MANUAL SLACK ADJUSTER

REF No.: 120-3501136
STYLE: 1HOLE 10TEETH
ARM LENGTH: 102
BUSHING: Φ 12.7
APPLICATION: KAMAZ



MANUAL SLACK ADJUSTER

REF No.: 120-3502336
STYLE: 1HOLE 10TEETH
ARM LENGTH: 102, 125
BUSHING: Φ 12.7
APPLICATION: KAMAZ



MANUAL SLACK ADJUSTER

REF No.:
STYLE: 1HOLE 10TEETH
ARM LENGTH:
BUSHING:
APPLICATION: DAF



AUTO SLACK ADJUSTER

REF No.: 72062/72063
STYLE: 1HOLE 26TEETH
ARM LENGTH: 145
BUSHING: Φ 14
APPLICATION: BENZ



AUTO SLACK ADJUSTER

REF No.: 70867/79212
STYLE: 1HOLE 26TEETH
ARM LENGTH: 145
BUSHING: Φ 14
APPLICATION: BENZ



AUTO SLACK ADJUSTER

REF No.: 79186
STYLE: 1HOLE 26TEETH
ARM LENGTH: 145
BUSHING: Φ 14
APPLICATION: BENZ



AUTO SLACK ADJUSTER

REF No.: 70952/70953
STYLE: 1HOLE 26TEETH
ARM LENGTH: 145
BUSHING: Φ 14
APPLICATION: BENZ



AUTO SLACK ADJUSTER

REF No.: 72660/72661
STYLE: 1HOLE 10TEETH
ARM LENGTH: 165
BUSHING: 16
APPLICATION: SCANIA



AUTO SLACK ADJUSTER

REF No.: 79442/79443
STYLE: 1HOLE 10TEETH
ARM LENGTH: 165
BUSHING: 16
APPLICATION: SCANIA



AUTO SLACK ADJUSTER

REF No.: 79034
STYLE: 1HOLE 10TEETH
ARM LENGTH: 165
BUSHING: 16
APPLICATION: SCANIA



AUTO SLACK ADJUSTER

REF No.: 72663/72664
STYLE: 1HOLE 10TEETH
ARM LENGTH: 165
BUSHING: 16
APPLICATION: SCANIA



AUTO SLACK ADJUSTER

REF No.: 79219/79220
STYLE: 1HOLE 26TEETH
ARM LENGTH: 130
BUSHING: 14
APPLICATION: MAN



AUTO SLACK ADJUSTER

REF No.: 79208/79209
STYLE: 1HOLE 26TEETH
ARM LENGTH: 145
BUSHING: 14
APPLICATION: MAN



AUTO SLACK ADJUSTER

REF No.: 72784/72785
STYLE: 1HOLE 26TEETH
ARM LENGTH: 165
BUSHING: 12.7
APPLICATION: VOLVO



AUTO SLACK ADJUSTER

REF No.: 72678/72166
STYLE: 1HOLE 10TEETH
ARM LENGTH: 140
BUSHING: 12.7
APPLICATION: VOLVO



AUTO SLACK ADJUSTER

REF No.: 79304
STYLE: 1HOLE 26TEETH
ARM LENGTH: 160
BUSHING: 14
APPLICATION: RENAULT



AUTO SLACK ADJUSTER

REF No.: 72875
STYLE: 6HOLES 10TEETH
ARM LENGTH: 250
BUSHING: 14
APPLICATION: BPW



AUTO SLACK ADJUSTER

REF No.: 80019
STYLE: 6HOLES 10TEETH
ARM LENGTH: 250
BUSHING: 14
APPLICATION: BPW



AUTO SLACK ADJUSTER

REF No.: 80078
STYLE: 4HOLES 10TEETH
ARM LENGTH:
BUSHING: 14
APPLICATION: BPW



AUTO SLACK ADJUSTER

REF No.: 80020
STYLE: 5HOLES 10TEETH
ARM LENGTH:
BUSHING: 14
APPLICATION: ROR



AUTO SLACK ADJUSTER

REF No.: 80022
STYLE: 6HOLES 10TEETH
ARM LENGTH:
BUSHING: 14
APPLICATION: SAF



AUTO SLACK ADJUSTER

REF No.: 80023
STYLE: 4HOLES 10TEETH
ARM LENGTH:
BUSHING: 14
APPLICATION: SMB



AUTO SLACK ADJUSTER

REF No.: 80158
STYLE: 1HOLE 26TEETH
ARM LENGTH: 145
BUSHING: 14
APPLICATION: D-C



AUTO SLACK ADJUSTER

REF No.: 54321-3502136
STYLE: 1HOLE 25TEETH
ARM LENGTH: 150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: 64226-3502136-010
STYLE: 1HOLE 25TEETH
ARM LENGTH: 150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: 64226-3501136
STYLE: 2HOLES 10TEETH
ARM LENGTH: 125,150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: 103-3501136
STYLE: 2HOLES 10TEETH
ARM LENGTH: 125,150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: 64226-3501136-010
STYLE: 2HOLES 25TEETH
ARM LENGTH: 125,150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: 103-3501136-010
STYLE: 2HOLES 25TEETH
ARM LENGTH: 125,150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: PT-40-06
STYLE: 2HOLES 10TEETH
ARM LENGTH: 125,150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: PT-40-07
STYLE: 2HOLES 10TEETH
ARM LENGTH: 125,150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: PT-40-08
STYLE: 1HOLE 10TEETH
ARM LENGTH: 150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: PT-40-09
STYLE: 1HOLE 10TEETH
ARM LENGTH: 150
BUSHING: 12
APPLICATION: MAZ,KAMAZ



AUTO SLACK ADJUSTER

REF No.: 065178
TEETH: 37
ARM LENGTH: 140
BUSHING: 12
APPLICATION: AMERICAN SERIES



AUTO SLACK ADJUSTER

REF No.: 065508
TEETH: 10
ARM LENGTH: 127
BUSHING: 12
APPLICATION: AMERICAN SERIES



AUTO SLACK ADJUSTER

REF No.: 065175
TEETH: 28
ARM LENGTH: 152.4
BUSHING: 12
APPLICATION: AMERICAN SERIES



AUTO SLACK ADJUSTER

REF No.: 065179
TEETH: 37
ARM LENGTH: 152.4
BUSHING: 12
APPLICATION: AMERICAN SERIES



AUTO SLACK ADJUSTER

REF No.: R801042/11398
TEETH: 10
ARM LENGTH: 139.7
BUSHING: 12
APPLICATION: UNHANDED



AUTO SLACK ADJUSTER

REF No.: R801073/11401
TEETH: 28
ARM LENGTH: 139.7
BUSHING: 12
APPLICATION: UNHANDED



AUTO SLACK ADJUSTER

REF No.: R801001/11395
TEETH: 10
ARM LENGTH: 139.7
BUSHING: 12
APPLICATION: UNHANDED



AUTO SLACK ADJUSTER

REF No.: R801002/11396
TEETH: 24
ARM LENGTH: 139.7
BUSHING: 12
APPLICATION: UNHANDED



AUTO SLACK ADJUSTER

REF No.: R801102/113406
TEETH: 37
ARM LENGTH: 139.7
BUSHING: 12
APPLICATION: UNHANDED



AUTO SLACK ADJUSTER

REF No.: AS1140
TEETH: 28
ARM LENGTH: 5.5"
SPLINE DIA: 1.5"